


# Performance

for the Long Haul

Dri-Lok™ Disposable Cannulas



# The Clear Choice

## In Disposable Cannulas

### Dri-Lok Cannulas


The clear Dri-Lok™ cannula offers ultimate visibility of instruments and suture while providing “Best in Class” fluid retention for shoulder arthroscopy.

#### Features & Benefits:

- 'No Leak' triple seal design
- Adjustable inflow/outflow valve
- Shatter resistant clear plastic
- Threaded and non-threaded
- Color-coded for size

### Reusable Cannulated Obturators

The reusable cannulated obturators are ideal for dilating portal incisions over a switching stick prior to cannula insertion.



8.0mm Cannulated Obturator  
3910-075-008



6.5mm Cannulated Obturator  
3910-075-006

## Product Ordering Information


Accessories for the Dri-Lok™ Cannula	Product Description
<b>266-719-000</b>	4.0mm Wissinger Rod (small)
<b>266-720-000</b>	5.0mm Wissinger Rod (large)
<b>266-721-000</b>	Wissinger Rod Handles (box of 2)
<b>266-722-000</b>	4.0mm Switching Stick (small)
<b>266-723-000</b>	5.0mm Switching Stick (large)

# Dri-Lok

## Cannulas


### Universal Diameters: 5.0mm, 6.5mm, & 8.0mm

Stryker offers a variety of Dri-Lok™ disposable cannulas in styles and sizes to accommodate a wide range of instrumentation and procedures. Each Dri-Lok™ cannula is conveniently packaged with a disposable plastic obturator for easy insertion.




#### 5.0 x 75mm Smooth

The classic smooth cannula is ideal for atraumatic portal placement in the shoulder. Available in standard 75mm length.



#### 6.5 x 90mm Distal Threaded

The distal thread design offers all of the benefits of a smooth cannula, but with an added helical thread to prevent cannula “fall-out.” Available in standard 75mm length and large 90mm length



#### 8.0 x 75mm Full Threaded

The fully threaded cannula offers the most secure portal placement. Threads can be used to retract the capsule for improved arthroscopic visualization. Available in standard 75mm length and large 90mm length.

## Product Ordering Information

Dri-Lok™ Full Threaded	Product Description	Smooth	Product Description	Distal Threaded	Product Description
<b>3910-075-500</b>	5.0mm x 75mm Full Threaded	<b>3910-075-501</b>	5.0mm x 75mm Smooth	<b>3910-075-502</b>	5.0mm x 75mm Distal Threaded
<b>3910-075-650</b>	6.5mm x 75mm Full Threaded	<b>3910-075-651</b>	6.5mm x 75mm Smooth	<b>3910-075-652</b>	6.5mm x 75mm Distal Threaded
<b>3910-075-800</b>	8.0mm x 75mm Full Threaded	<b>3910-075-801</b>	8.0mm x 75mm Smooth	<b>3910-075-802</b>	8.0mm x 75mm Distal Threaded
<b>3910-090-500</b>	5.0mm x 90mm Full Threaded			<b>3910-090-502</b>	5.0mm x 90mm Distal Threaded
<b>3910-090-650</b>	6.5mm x 90mm Full Threaded			<b>3910-090-652</b>	6.5mm x 90mm Distal Threaded
<b>3910-090-800</b>	8.0mm x 90mm Full Threaded			<b>3910-090-802</b>	8.0mm x 90mm Distal Threaded

---

**Joint Replacements**

---

**Trauma, Extremities & Deformities**

---

**Craniomaxillofacial**

---

**Spine**

---

**Biologics**

---

**Surgical Products**

---

**Neuro & ENT**

---

**Interventional Pain**

---

**Navigation**

---

**Endoscopy**

---

**Communications**

---

**Imaging**

---

**Patient Handling Equipment**

---

**EMS Equipment**

---

**Rehabilitation Services**

Stryker Endoscopy  
5900 Optical Court  
San Jose, CA 95138  
t: 1 800 624 4422 f: 1 800 729 2917

[www.stryker.com](http://www.stryker.com)

The information presented in this brochure is intended to demonstrate a Stryker product. Always refer to the package insert, product label and/or user instructions before using any Stryker product. Products may not be available in all markets. Product availability is subject to the regulatory or medical practices that govern individual markets. Please contact your Stryker representative if you have questions about the availability of Stryker products in your area.

Products referenced with <sup>™</sup> designation are trademarks of Stryker.  
Products referenced with <sup>®</sup> designation are registered trademarks of Stryker.

Literature Number: **1000900479 (Rev. B)**  
VID/FWG 2.5k 08/06

Copyright © 2006 Stryker  
Printed in USA