



For Internal Use Only

Clinical Event Reference

Marketing Event Reference

Customer event report

FORM MUST NOT CONTAIN INFORMATION THAT COULD IDENTIFY THE PATIENT

Please do not provide any identifiable information, such as patient name, address or location of hospital.

Patient information

Male Female Non-binary/ third gender Age in years: Weight (estimation): Lb Kg

Event information

Country:

Date of use:

Time of use (local):

Was the event witnessed?

Yes No If yes, relationship to patient?

Was CPR performed by bystander prior to AED switch on?

Yes No If yes, for how many minutes?

What was the rescuer response time from SCA to retrieving AED?

In minutes:

Was patient breathing prior to commencing CPR?

Yes No Unknown

Did the patient have a pulse prior to commencing CPR?

Yes No Unknown

Was a shock delivered?

Yes No

Location type for resuscitation attempt

Location type (Check one)

Details

Home

Please indicate the specific type of location (gym, dentist office, restaurant, etc.), providing as much information as possible.

Office

DO NOT PROVIDE PLACE NAME, ADDRESS OR GEOGRAPHICAL LOCATION.

Medical facility

Sports center

Public space

Other (Describe location, without name or geographical location)

Patient outcome

Outcome (Check one)

Details

Survived to hospital admission

Please provide any additional information on rescue attempt (when did ambulance arrive, actions taken).

DO NOT PROVIDE CITY, OR HOSPITAL NAME OR ADDRESS.

Survived to hospital discharge

Did not survive

Patient pre-existing medical condition (if known)

| | |
|--|-------------------------------------|
| Condition (Check all that apply) | Please list other known conditions: |
| <input type="checkbox"/> Diabetes mellitus | |
| <input type="checkbox"/> Hypertension | |
| <input type="checkbox"/> Hyperlipidaemia | |
| <input type="checkbox"/> Implanted pacemaker | |

Event file

The event file downloaded must be provided with this form. Please use the following filename structure:

Device serial number_Date of event (MM-DD-YYYY)

Please send both the form and the event file (.pco) to AEDEvent@Stryker.com. A PDF file will not be accepted.

If you need assistance downloading the file, please contact your local Stryker representative.

Device information

| Device type (Check one) | Device serial number |
|---|----------------------|
| <input type="checkbox"/> LIFEPAK® CR2 | |
| <input type="checkbox"/> LIFEPAK CR® Plus | |
| <input type="checkbox"/> LIFEPAK EXPRESS | |

Reporter information

| | |
|----------------------|--|
| Event reporter name: | |
| Telephone: | |
| Email: | |
| Distributor name: | |

User information

| | | | |
|-------------------------------|--|-------------------------------|--|
| Was user trained? (if known): | <input type="checkbox"/> Yes <input type="checkbox"/> No | Training provider (if known): | |
|-------------------------------|--|-------------------------------|--|

Terms

Following are the terms for the Forward Hearts program.

1. Please do not attach any picture, audio and/or video recording related to the reported event.
2. Event must be a sudden cardiac arrest to qualify. (Event is reviewed by Stryker Clinical team whose decision is final.)
3. Please refer to strykeremergencycare.com for the complete list of requirements to qualify for Forward Hearts after a Stryker AED has been used during a sudden cardiac arrest resuscitation.

The person completing this form will ensure compliance with local privacy regulations, and agrees to ensure no identifiable information is contained in this form.

Signature of reporter: _____ **Date:** _____

Please detail your experience using this AED.

Please do not provide any identifiable information on individuals and places involved.