# Safety Data Sheet

according to the Hazardous Substances and New Organisms Act (1996)

Issue date: 9/4/2019 Revision date: 5/6/2021 Supersedes: 6/26/2020 Version: 1.2

SDS No: 11362-0022



# SECTION 1: Identification of the hazardous chemical and of the supplier

#### 1.1 Product identifier

Product name : Simplex® HV with Gentamicin (Liquid)

Product form : Mixture

Product code : 6193-1-001 (1x40 g), 6193-1-010 (10x40 g)

## 1.2 Other means of identification

Other means of identification : Code SDS: 139-0028.04-04

## 1.3 Relevant identified uses of the substance or mixture and uses advised against

Recommended use : Bone cements

## 1.4 Supplier's details

Manufacturer

OSARTIS GmbH Auf der Beune 101 64839 Münster

T+49 (0) 6071 929-0 - F+49 (0) 6071 929-100

Info@osartis.de

**Sponsor** 

Stryker New Zealand 511 Mt Wellington Highway Auckland - New Zealand, 1060

T +64 09 573 1890 - F +64 09 573 1891

**Sponsor** 

Stryker Australia 8 Herbert Street

St Leonards, NSW - Australia 2065 T +61 02 9467 1000 - F +61 02 9467 1010

E-mail address of competent person responsible for the SDS: sds@gbk-ingelheim.de

## 1.5. Emergency phone number

Emergency number : Poisons and hazardous chemicals emergency: 0800 764 766

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

HSNO Approval Number : HSR002495

3.1B Flammable liquids, Category 2
6.3A Skin corrosion/irritation, Category 2
6.5B Skin sensitisation, Category 1

6.1E (Respiratory tract irritant)

Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation

6.9B Specific target organ toxicity — Repeated exposure, Category 2

### 2.2. Label elements

#### **GHS NZ labelling**

Hazard pictograms (GHS NZ)







Signal word (GHS NZ) : Danger

Contains : Methyl methacrylate (≥ 95 %); N,N-dimethyl-p-toluidine (1 - 3 %)

Hazard statements (GHS NZ) : H225 - Highly flammable liquid and vapour

H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction. H335 - May cause respiratory irritation.

H373 - May cause damage to organs through prolonged or repeated exposure.

## Safety Data Sheet

according to the Hazardous Substances and New Organisms Act (1996)

SDS No: 11362-0022



Prevention : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

Response : P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water/shower.

P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P312 - Call a POISON CENTER/doctor if you feel unwell.

Storage : P405 - Store locked up.

Disposal : P501 - Dispose of contents/container to an approved waste disposal plant.

## 2.3. Other hazards not contributing to the classification

No additional information available

## SECTION 3: Composition and information of the ingredients of the hazardous chemical

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to GHS NZ
Methyl methacrylate	CAS-No.: 80-62-6	≥ 95	3.1B: Flam. Liq. 2, H225 6.1E (Respiratory tract irritant): STOT SE 3, H335 6.3A: Skin Irrit. 2, H315 6.5B: Skin Sens. 1, H317
N,N-dimethyl-p-toluidine	CAS-No.: 99-97-8	1 - 3	6.1C: Acute Tox. 3 (Oral), H301 6.1C: Acute Tox. 3 (Dermal), H311 6.1B: Acute Tox. 2 (Inhalation:dust,mist), H330 6.9B: STOT RE 2, H373 9.1C: Aquatic Chronic 3, H412

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

First-aid measures general : Call a poison center or a doctor if you feel unwell.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Call a poison center or a

doctor if you feel unwell.

First-aid measures after skin contact : Rinse skin with water/shower. Take off immediately all contaminated clothing. If skin

irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse eyes with water as a precaution. Contact lenses should be removed.

First-aid measures after ingestion : Do not induce vomiting. Rinse mouth. Call a poison center or a doctor if you feel unwell.

# 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : May cause respiratory irritation.

Symptoms/effects after skin contact : Irritation. May cause an allergic skin reaction.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

# **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5/6/2021 (Revision date) NZ - en 2/8

# Safety Data Sheet

according to the Hazardous Substances and New Organisms Act (1996)

SDS No: 11362-0022



# 5.2. Special hazards arising from the substance or mixture

Fire hazard : Highly flammable liquid and vapour. Hazardous decomposition products in case of fire : Toxic fumes may be released.

#### 5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

EAC code : 3YE.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

No additional information available

#### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid breathing

dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

## 6.2. Environmental precautions

Avoid release to the environment. Notify authorities if product enters sewers or public waters.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or

public waters.

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Precautions for safe handling : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapours may accumulate in the container. Use explosion-proof equipment. Wear personal protective

equipment. Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.

Hygiene measures : Wash contaminated clothing before reuse. Contaminated work clothing should not be

allowed out of the workplace. Do not eat, drink or smoke when using this product. Always

wash hands after handling the product.

## 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Ground/bond container and receiving equipment.

Storage conditions : Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.

Information on mixed storage : Keep away from food, drink and animal feeding stuffs.

## **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

Methyl methacrylate (80-62-6)		
New Zealand - Occupational Exposure Limits		
Local name	Methyl methacrylate	
WES-TWA (OEL TWA) [1]	208 mg/m³	
WES-TWA (OEL TWA) [2]	50 ppm	

# Safety Data Sheet

according to the Hazardous Substances and New Organisms Act (1996)

SDS No: 11362-0022



Methyl methacrylate (80-62-6)		
WES-STEL (OEL STEL)	416 mg/m <sup>3</sup>	
WES-STEL (OEL STEL) [ppm]	100 ppm	
Remark (NZ)	skin (Skin absorption), sen (Sensitiser)	
Regulatory reference	Workplace Exposure Standards and Biological Exposure Indices, 12th Edition	

#### Exposure limit values for the other components

No additional information available

## 8.2. Monitoring

No additional information available

#### 8.3. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

## 8.4. Individual protection measures, such as personal protective equipment (PPE)

Hand protection : Protective gloves. Select the appropriate glove material adhering to the breakthrough time,

permeation rate and the degradation

Eye protection : Safety glasses

Skin and body protection : Wear suitable protective clothing

Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment

#### Personal protective equipment symbol(s)



Environmental exposure controls : Avoid release to the environment.

## **SECTION 9: Physical and chemical properties**

Physical state : Liquid

Appearance : No data available
Colour : No data available
Odour : Ester like

Odour threshold : No additional information available pH : No additional information available Evaporation rate : No additional information available

Relative evaporation rate (butylacetate=1) : No data available

Melting point / Freezing point : Melting point: -48 °C methyl methacrylate

Boiling point : 100.3 °C methyl methacrylate

Flash point : 10 °C DIN 51755, methyl methacrylate

Auto-ignition temperature : No data available Flammability (solid, gas) : Not applicable

Vapour pressure: 37 hPa 20°C, methyl methacrylate

Relative density : No additional information available

Density : Density: 0.94 g/cm³ 20°C, methyl methacrylate

Solubility : No additional information available

Log Pow : No data available Viscosity, kinematic : 0.564 mm²/s

Viscosity, dynamic : 0.53 mPa·s 20°C, methyl methacrylate

Explosive properties : No data available

Explosive limits : 2.1 vol % methyl methacrylate

12.5 vol % methyl methacrylate

Minimum ignition energy : No data available

SAPT : > 75°C

# Safety Data Sheet

according to the Hazardous Substances and New Organisms Act (1996)

SDS No: 11362-0022



### **SECTION 10: Stability and reactivity**

Reactivity : Highly flammable liquid and vapour. Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : No dangerous reactions known under normal conditions of use.

Conditions to avoid : Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of

ignition.

Incompatible materials : No additional information available

Hazardous decomposition products : Under normal conditions of storage and use, hazardous decomposition products should not

be produced.

## **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified
Skin corrosion/irritation : Causes skin irritation.

Serious eye damage/irritation : Not classified

Respiratory or skin sensitisation : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified

STOT-single exposure : May cause respiratory irritation.

### Methyl methacrylate (80-62-6)

STOT-single exposure May cause respiratory irritation.

STOT-repeated exposure : May cause damage to organs through prolonged or repeated exposure.

## N,N-dimethyl-p-toluidine (99-97-8)

STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard : Not classified

## Simplex® HV with Gentamicin (Liquid)

Viscosity, kinematic 0.564 mm²/s

## **SECTION 12: Ecological information**

# 12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse

effects in the environment.

Hazardous to the aquatic environment, short-term

(acute)

Hazardous to the aquatic environment, long-term : Not classified

(chronic)

Soil toxicity : Not classified
Terrestrial vertebrate toxicity : Not classified
Terrestrial invertebrate toxicity : Not classified

### N,N-dimethyl-p-toluidine (99-97-8)

LC50 fish 1 49.9 mg/l

Not classified

## 12.2. Persistence and degradability

## Simplex® HV with Gentamicin (Liquid)

Persistence and degradability

No additional information available

# Safety Data Sheet

according to the Hazardous Substances and New Organisms Act (1996)

SDS No: 11362-0022



## N,N-dimethyl-p-toluidine (99-97-8)

Not rapidly degradable

## 12.3. Bioaccumulative potential

#### Simplex® HV with Gentamicin (Liquid)

Bioaccumulative potential No additional information available

## 12.4. Mobility in soil

## Simplex® HV with Gentamicin (Liquid)

Mobility in soil No additional information available

#### 12.5. Other adverse effects

Ozone : Not classified

Other adverse effects : No additional information available

## **SECTION 13: Disposal considerations**

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Product/Packaging disposal recommendations : Entrust the uncontaminated packaging to a licensed waste contractor. Recycling is

preferred to disposal or incineration.

Additional information : Flammable vapours may accumulate in the container.

## **SECTION 14: Transport information**

## 14.1. UN number

UN-No.(UN RTDG) : 1247 UN-No. (IMDG) : 1247 UN-No. (IATA) : 1247

## 14.2. Proper Shipping Name

Proper Shipping Name (UN RTDG) : METHYL METHACRYLATE MONOMER, STABILIZED Proper Shipping Name (IMDG) : METHYL METHACRYLATE MONOMER, STABILIZED

Proper Shipping Name (IATA) : Methyl methacrylate monomer, stabilized

# 14.3. Transport hazard class(es)

## **UN RTDG**

Transport hazard class(es) (UN RTDG) : 3

Danger labels (UN RTDG)



## IMDG

Transport hazard class(es) (IMDG) : 3

Danger labels (IMDG) : 3



#### IATA

Transport hazard class(es) (IATA) : 3
Danger labels (IATA) : 3

# Safety Data Sheet

according to the Hazardous Substances and New Organisms Act (1996)

SDS No: 11362-0022





#### 14.4. Packing group

Packing group (UN RTDG) : II
Packing group (IMDG) : II
Packing group (IATA) : II

### 14.5. Environmental hazards

Dangerous for the environment : False
Marine pollutant : No

Other information : No supplementary information available

#### 14.6. Special precautions for user

#### **UN RTDG**

Special provisions (UN RTDG): 386Limited quantities (UN RTDG): 1LExcepted quantities (UN RTDG): E2

Packing instruction (UN RTDG) : P001, IBC02

Portable tank and bulk container special : T4

instructions (UN RTDG)

Portable tank and bulk container special provisions : TP1

(UN RTDG)

#### **IMDG**

Special provisions (IMDG) : 386
Limited quantities (IMDG) : 1 L
Excepted quantities (IMDG) : E2
Packing instructions (IMDG) : P001
IBC packing instructions (IMDG) : IBC02
Tank instructions (IMDG) : T4
Tank special provisions (IMDG) : TP1

EmS-No. (Fire) : F-E - FIRE SCHEDULE Echo - NON-WATER-REACTIVE FLAMMABLE LIQUIDS

EmS-No. (Spillage) : S-D - SPILLAGE SCHEDULE Delta - FLAMMABLE LIQUIDS

Stowage category (IMDG) : C Flash point (IMDG) : 8°C c.c.

#### IATA

PCA Excepted quantities (IATA) : E2 : Y341 PCA Limited quantities (IATA) PCA limited quantity max net quantity (IATA) : 1L PCA packing instructions (IATA) : 353 PCA max net quantity (IATA) : 5L CAO packing instructions (IATA) : 364 CAO max net quantity (IATA) : 60L Special provisions (IATA) : A209 ERG code (IATA) : 3L

## 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

## 14.8. Hazchem or Emergency Action Code

EAC code : 3YE.

# Safety Data Sheet

according to the Hazardous Substances and New Organisms Act (1996)

SDS No: 11362-0022



## **SECTION 15: Regulatory information**

## 15.1. Safety, health, and environmental national regulations specific for the product

#### **Hazardous Substances and New Organisms Act**

HSNO Approval Number : HSR002495

## 15.2. Chemical safety assessment

No additional information available

## **SECTION 16: Other information**

 SDS Major/Minor
 : None

 Issue date
 : 9/4/2019

 Revision date
 : 06/05/2021

 Supersedes
 : 26/06/2020

Indication of changes			
Section	Changed item	Change	Comments
1	Address Information	Modified	

Full text of H-statements		
3.1B: Flam. Liq. 2	3.1B: Flammable liquids, Category 2	
6.1B: Acute Tox. 2 (Inhalation:dust,mist)	6.1B: Acute toxicity (inhalation:dust,mist) Category 2	
6.1C: Acute Tox. 3 (Dermal)	6.1C: Acute toxicity (dermal), Category 3	
6.1C: Acute Tox. 3 (Oral)	6.1C: Acute toxicity (oral), Category 3	
6.1E (Respiratory tract irritant) : STOT SE 3	6.1E (Respiratory tract irritant): Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation	
6.3A: Skin Irrit. 2	6.3A: Skin corrosion/irritation, Category 2	
6.5B: Skin Sens. 1	6.5B: Skin sensitisation, Category 1	
6.9B: STOT RE 2	6.9B: Specific target organ toxicity — Repeated exposure, Category 2	
9.1C: Aquatic Chronic 3	9.1C: Hazardous to the aquatic environment — Chronic Hazard, Category 3	
H225	Highly flammable liquid and vapour	
H301	Toxic if swallowed.	
H311	Toxic in contact with skin.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H330	Fatal if inhaled.	
H335	May cause respiratory irritation.	
H373	May cause damage to organs through prolonged or repeated exposure.	
H412	Harmful to aquatic life with long lasting effects.	

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.