

Inventory Control Sheet



Gamma4 Nail

Surgery Date _____

Patient Information

Hospital _____ Surgeon _____

Sales Rep _____ Covered by _____


P.O.# _____ Received by _____

Ship Via _____ Ship To _____ Replenish To _____

Inv. Source Hosp. Owned Hosp. Consigned Loaner Other _____

Billing Type Bill Only Ship Only Ship & Bill Other _____

Nail Kits



Ø9mm Long Nail (Left)


	Length (mm)	CCD Angle	Qty.
8520-9240S	240	120°	
8520-9260S	260	120°	
8520-9280S	280	120°	
8520-9300S	300	120°	
8520-9320S	320	120°	
8520-9340S	340	120°	
8520-9360S	360	120°	
8520-9380S	380	120°	
8520-9400S	400	120°	
8520-9420S	420	120°	
8520-9440S	440	120°	
8520-9460S	460	120°	
8520-9480S	480	120°	
8525-9240S	240	125°	
8525-9260S	260	125°	
8525-9280S	280	125°	
8525-9300S	300	125°	
8525-9320S	320	125°	
8525-9340S	340	125°	
8525-9360S	360	125°	
8525-9380S	380	125°	
8525-9400S	400	125°	
8525-9420S	420	125°	
8525-9440S	440	125°	
8525-9460S	460	125°	
8525-9480S	480	125°	
8530-9240S	240	130°	
8530-9260S	260	130°	
8530-9280S	280	130°	
8530-9300S	300	130°	
8530-9320S	320	130°	
8530-9340S	340	130°	
8530-9360S	360	130°	
8530-9380S	380	130°	
8530-9400S	400	130°	
8530-9420S	420	130°	
8530-9440S	440	130°	
8530-9460S	460	130°	
8530-9480S	480	130°	

Ø9mm Long Nail (Right)

	Length (mm)	CCD Angle	Qty.
8420-9240S	240	120°	
8420-9260S	260	120°	
8420-9280S	280	120°	
8420-9300S	300	120°	
8420-9320S	320	120°	
8420-9340S	340	120°	
8420-9360S	360	120°	
8420-9380S	380	120°	
8420-9400S	400	120°	
8420-9420S	420	120°	
8420-9440S	440	120°	
8420-9460S	460	120°	
8420-9480S	480	120°	
8425-9240S	240	125°	
8425-9260S	260	125°	
8425-9280S	280	125°	
8425-9300S	300	125°	
8425-9320S	320	125°	
8425-9340S	340	125°	
8425-9360S	360	125°	
8425-9380S	380	125°	
8425-9400S	400	125°	
8425-9420S	420	125°	
8425-9440S	440	125°	
8425-9460S	460	125°	
8425-9480S	480	125°	
8430-9240S	240	130°	
8430-9260S	260	130°	
8430-9280S	280	130°	
8430-9300S	300	130°	
8430-9320S	320	130°	
8430-9340S	340	130°	
8430-9360S	360	130°	
8430-9380S	380	130°	
8430-9400S	400	130°	
8430-9420S	420	130°	
8430-9440S	440	130°	
8430-9460S	460	130°	
8430-9480S	480	130°	

Inventory Control Sheet Gamma4 Nail

Nail Kits (cont.)



Ø10mm Long Nail (Left)


	Length (mm)	CCD Angle	Qty.	
8520-0240S	240	120°	<input type="text"/>	_____
8520-0260S	260	120°	<input type="text"/>	_____
8520-0280S	280	120°	<input type="text"/>	_____
8520-0300S	300	120°	<input type="text"/>	_____
8520-0320S	320	120°	<input type="text"/>	_____
8520-0340S	340	120°	<input type="text"/>	_____
8520-0360S	360	120°	<input type="text"/>	_____
8520-0380S	380	120°	<input type="text"/>	_____
8520-0400S	400	120°	<input type="text"/>	_____
8520-0420S	420	120°	<input type="text"/>	_____
8520-0440S	440	120°	<input type="text"/>	_____
8520-0460S	460	120°	<input type="text"/>	_____
8520-0480S	480	120°	<input type="text"/>	_____
8525-0240S	240	125°	<input type="text"/>	_____
8525-0260S	260	125°	<input type="text"/>	_____
8525-0280S	280	125°	<input type="text"/>	_____
8525-0300S	300	125°	<input type="text"/>	_____
8525-0320S	320	125°	<input type="text"/>	_____
8525-0340S	340	125°	<input type="text"/>	_____
8525-0360S	360	125°	<input type="text"/>	_____
8525-0380S	380	125°	<input type="text"/>	_____
8525-0400S	400	125°	<input type="text"/>	_____
8525-0420S	420	125°	<input type="text"/>	_____
8525-0440S	440	125°	<input type="text"/>	_____
8525-0460S	460	125°	<input type="text"/>	_____
8525-0480S	480	125°	<input type="text"/>	_____
8530-0240S	240	130°	<input type="text"/>	_____
8530-0260S	260	130°	<input type="text"/>	_____
8530-0280S	280	130°	<input type="text"/>	_____
8530-0300S	300	130°	<input type="text"/>	_____
8530-0320S	320	130°	<input type="text"/>	_____
8530-0340S	340	130°	<input type="text"/>	_____
8530-0360S	360	130°	<input type="text"/>	_____
8530-0380S	380	130°	<input type="text"/>	_____
8530-0400S	400	130°	<input type="text"/>	_____
8530-0420S	420	130°	<input type="text"/>	_____
8530-0440S	440	130°	<input type="text"/>	_____
8530-0460S	460	130°	<input type="text"/>	_____
8530-0480S	480	130°	<input type="text"/>	_____

Ø10mm Long Nail (Right)

	Length (mm)	CCD Angle	Qty.	
8420-0240S	240	120°	<input type="text"/>	_____
8420-0260S	260	120°	<input type="text"/>	_____
8420-0280S	280	120°	<input type="text"/>	_____
8420-0300S	300	120°	<input type="text"/>	_____
8420-0320S	320	120°	<input type="text"/>	_____
8420-0340S	340	120°	<input type="text"/>	_____
8420-0360S	360	120°	<input type="text"/>	_____
8420-0380S	380	120°	<input type="text"/>	_____
8420-0400S	400	120°	<input type="text"/>	_____
8420-0420S	420	120°	<input type="text"/>	_____
8420-0440S	440	120°	<input type="text"/>	_____
8420-0460S	460	120°	<input type="text"/>	_____
8420-0480S	480	120°	<input type="text"/>	_____
8425-0240S	240	125°	<input type="text"/>	_____
8425-0260S	260	125°	<input type="text"/>	_____
8425-0280S	280	125°	<input type="text"/>	_____
8425-0300S	300	125°	<input type="text"/>	_____
8425-0320S	320	125°	<input type="text"/>	_____
8425-0340S	340	125°	<input type="text"/>	_____
8425-0360S	360	125°	<input type="text"/>	_____
8425-0380S	380	125°	<input type="text"/>	_____
8425-0400S	400	125°	<input type="text"/>	_____
8425-0420S	420	125°	<input type="text"/>	_____
8425-0440S	440	125°	<input type="text"/>	_____
8425-0460S	460	125°	<input type="text"/>	_____
8425-0480S	480	125°	<input type="text"/>	_____
8430-0240S	240	130°	<input type="text"/>	_____
8430-0260S	260	130°	<input type="text"/>	_____
8430-0280S	280	130°	<input type="text"/>	_____
8430-0300S	300	130°	<input type="text"/>	_____
8430-0320S	320	130°	<input type="text"/>	_____
8430-0340S	340	130°	<input type="text"/>	_____
8430-0360S	360	130°	<input type="text"/>	_____
8430-0380S	380	130°	<input type="text"/>	_____
8430-0400S	400	130°	<input type="text"/>	_____
8430-0420S	420	130°	<input type="text"/>	_____
8430-0440S	440	130°	<input type="text"/>	_____
8430-0460S	460	130°	<input type="text"/>	_____
8430-0480S	480	130°	<input type="text"/>	_____

Inventory Control Sheet Gamma4 Nail

Nail Kits (cont.)



Ø11mm Long Nail (Left)

	Length (mm)	CCD Angle	Qty.
8520-1240S	240	120°	
8520-1260S	260	120°	
8520-1280S	280	120°	
8520-1300S	300	120°	
8520-1320S	320	120°	
8520-1340S	340	120°	
8520-1360S	360	120°	
8520-1380S	380	120°	
8520-1400S	400	120°	
8520-1420S	420	120°	
8520-1440S	440	120°	
8520-1460S	460	120°	
8520-1480S	480	120°	
8525-1240S	240	125°	
8525-1260S	260	125°	
8525-1280S	280	125°	
8525-1300S	300	125°	
8525-1320S	320	125°	
8525-1340S	340	125°	
8525-1360S	360	125°	
8525-1380S	380	125°	
8525-1400S	400	125°	
8525-1420S	420	125°	
8525-1440S	440	125°	
8525-1460S	460	125°	
8525-1480S	480	125°	
8530-1240S	240	130°	
8530-1260S	260	130°	
8530-1280S	280	130°	
8530-1300S	300	130°	
8530-1320S	320	130°	
8530-1340S	340	130°	
8530-1360S	360	130°	
8530-1380S	380	130°	
8530-1400S	400	130°	
8530-1420S	420	130°	
8530-1440S	440	130°	
8530-1460S	460	130°	
8530-1480S	480	130°	

Ø11mm Long Nail (Right)

	Length (mm)	CCD Angle	Qty.
8420-1240S	240	120°	
8420-1260S	260	120°	
8420-1280S	280	120°	
8420-1300S	300	120°	
8420-1320S	320	120°	
8420-1340S	340	120°	
8420-1360S	360	120°	
8420-1380S	380	120°	
8420-1400S	400	120°	
8420-1420S	420	120°	
8420-1440S	440	120°	
8420-1460S	460	120°	
8420-1480S	480	120°	
8425-1240S	240	125°	
8425-1260S	260	125°	
8425-1280S	280	125°	
8425-1300S	300	125°	
8425-1320S	320	125°	
8425-1340S	340	125°	
8425-1360S	360	125°	
8425-1380S	380	125°	
8425-1400S	400	125°	
8425-1420S	420	125°	
8425-1440S	440	125°	
8425-1460S	460	125°	
8425-1480S	480	125°	
8430-1240S	240	130°	
8430-1260S	260	130°	
8430-1280S	280	130°	
8430-1300S	300	130°	
8430-1320S	320	130°	
8430-1340S	340	130°	
8430-1360S	360	130°	
8430-1380S	380	130°	
8430-1400S	400	130°	
8430-1420S	420	130°	
8430-1440S	440	130°	
8430-1460S	460	130°	
8430-1480S	480	130°	

Inventory Control Sheet Gamma4 Nail

Nail Kits (cont.)



Ø12mm Long Nail (Left)

	Length (mm)	CCD Angle	Qty.	
8520-2240S	240	120°	<input type="text"/>	_____
8520-2260S	260	120°	<input type="text"/>	_____
8520-2280S	280	120°	<input type="text"/>	_____
8520-2300S	300	120°	<input type="text"/>	_____
8520-2320S	320	120°	<input type="text"/>	_____
8520-2340S	340	120°	<input type="text"/>	_____
8520-2360S	360	120°	<input type="text"/>	_____
8520-2380S	380	120°	<input type="text"/>	_____
8520-2400S	400	120°	<input type="text"/>	_____
8520-2420S	420	120°	<input type="text"/>	_____
8520-2440S	440	120°	<input type="text"/>	_____
8520-2460S	460	120°	<input type="text"/>	_____
8520-2480S	480	120°	<input type="text"/>	_____
8525-2240S	240	125°	<input type="text"/>	_____
8525-2260S	260	125°	<input type="text"/>	_____
8525-2280S	280	125°	<input type="text"/>	_____
8525-2300S	300	125°	<input type="text"/>	_____
8525-2320S	320	125°	<input type="text"/>	_____
8525-2340S	340	125°	<input type="text"/>	_____
8525-2360S	360	125°	<input type="text"/>	_____
8525-2380S	380	125°	<input type="text"/>	_____
8525-2400S	400	125°	<input type="text"/>	_____
8525-2420S	420	125°	<input type="text"/>	_____
8525-2440S	440	125°	<input type="text"/>	_____
8525-2460S	460	125°	<input type="text"/>	_____
8525-2480S	480	125°	<input type="text"/>	_____
8530-2240S	240	130°	<input type="text"/>	_____
8530-2260S	260	130°	<input type="text"/>	_____
8530-2280S	280	130°	<input type="text"/>	_____
8530-2300S	300	130°	<input type="text"/>	_____
8530-2320S	320	130°	<input type="text"/>	_____
8530-2340S	340	130°	<input type="text"/>	_____
8530-2360S	360	130°	<input type="text"/>	_____
8530-2380S	380	130°	<input type="text"/>	_____
8530-2400S	400	130°	<input type="text"/>	_____
8530-2420S	420	130°	<input type="text"/>	_____
8530-2440S	440	130°	<input type="text"/>	_____
8530-2460S	460	130°	<input type="text"/>	_____
8530-2480S	480	130°	<input type="text"/>	_____

Ø12mm Long Nail (Right)

	Length (mm)	CCD Angle	Qty.	
8420-2240S	240	120°	<input type="text"/>	_____
8420-2260S	260	120°	<input type="text"/>	_____
8420-2280S	280	120°	<input type="text"/>	_____
8420-2300S	300	120°	<input type="text"/>	_____
8420-2320S	320	120°	<input type="text"/>	_____
8420-2340S	340	120°	<input type="text"/>	_____
8420-2360S	360	120°	<input type="text"/>	_____
8420-2380S	380	120°	<input type="text"/>	_____
8420-2400S	400	120°	<input type="text"/>	_____
8420-2420S	420	120°	<input type="text"/>	_____
8420-2440S	440	120°	<input type="text"/>	_____
8420-2460S	460	120°	<input type="text"/>	_____
8420-2480S	480	120°	<input type="text"/>	_____
8425-2240S	240	125°	<input type="text"/>	_____
8425-2260S	260	125°	<input type="text"/>	_____
8425-2280S	280	125°	<input type="text"/>	_____
8425-2300S	300	125°	<input type="text"/>	_____
8425-2320S	320	125°	<input type="text"/>	_____
8425-2340S	340	125°	<input type="text"/>	_____
8425-2360S	360	125°	<input type="text"/>	_____
8425-2380S	380	125°	<input type="text"/>	_____
8425-2400S	400	125°	<input type="text"/>	_____
8425-2420S	420	125°	<input type="text"/>	_____
8425-2440S	440	125°	<input type="text"/>	_____
8425-2460S	460	125°	<input type="text"/>	_____
8425-2480S	480	125°	<input type="text"/>	_____
8430-2240S	240	130°	<input type="text"/>	_____
8430-2260S	260	130°	<input type="text"/>	_____
8430-2280S	280	130°	<input type="text"/>	_____
8430-2300S	300	130°	<input type="text"/>	_____
8430-2320S	320	130°	<input type="text"/>	_____
8430-2340S	340	130°	<input type="text"/>	_____
8430-2360S	360	130°	<input type="text"/>	_____
8430-2380S	380	130°	<input type="text"/>	_____
8430-2400S	400	130°	<input type="text"/>	_____
8430-2420S	420	130°	<input type="text"/>	_____
8430-2440S	440	130°	<input type="text"/>	_____
8430-2460S	460	130°	<input type="text"/>	_____
8430-2480S	480	130°	<input type="text"/>	_____

Inventory Control Sheet Gamma4 Nail

Nail Kits (cont.)



Ø13mm Long Nail (Left)

	Length (mm)	CCD Angle	Qty.
8520-3240S	240	120°	
8520-3260S	260	120°	
8520-3280S	280	120°	
8520-3300S	300	120°	
8520-3320S	320	120°	
8520-3340S	340	120°	
8520-3360S	360	120°	
8520-3380S	380	120°	
8520-3400S	400	120°	
8520-3420S	420	120°	
8520-3440S	440	120°	
8520-3460S	460	120°	
8520-3480S	480	120°	
8525-3240S	240	125°	
8525-3260S	260	125°	
8525-3280S	280	125°	
8525-3300S	300	125°	
8525-3320S	320	125°	
8525-3340S	340	125°	
8525-3360S	360	125°	
8525-3380S	380	125°	
8525-3400S	400	125°	
8525-3420S	420	125°	
8525-3440S	440	125°	
8525-3460S	460	125°	
8525-3480S	480	125°	
8530-3240S	240	130°	
8530-3260S	260	130°	
8530-3280S	280	130°	
8530-3300S	300	130°	
8530-3320S	320	130°	
8530-3340S	340	130°	
8530-3360S	360	130°	
8530-3380S	380	130°	
8530-3400S	400	130°	
8530-3420S	420	130°	
8530-3440S	440	130°	
8530-3460S	460	130°	
8530-3480S	480	130°	

Ø13mm Long Nail (Right)

	Length (mm)	CCD Angle	Qty.
8420-3240S	240	120°	
8420-3260S	260	120°	
8420-3280S	280	120°	
8420-3300S	300	120°	
8420-3320S	320	120°	
8420-3340S	340	120°	
8420-3360S	360	120°	
8420-3380S	380	120°	
8420-3400S	400	120°	
8420-3420S	420	120°	
8420-3440S	440	120°	
8420-3460S	460	120°	
8420-3480S	480	120°	
8425-3240S	240	125°	
8425-3260S	260	125°	
8425-3280S	280	125°	
8425-3300S	300	125°	
8425-3320S	320	125°	
8425-3340S	340	125°	
8425-3360S	360	125°	
8425-3380S	380	125°	
8425-3400S	400	125°	
8425-3420S	420	125°	
8425-3440S	440	125°	
8425-3460S	460	125°	
8425-3480S	480	125°	
8430-3240S	240	130°	
8430-3260S	260	130°	
8430-3280S	280	130°	
8430-3300S	300	130°	
8430-3320S	320	130°	
8430-3340S	340	130°	
8430-3360S	360	130°	
8430-3380S	380	130°	
8430-3400S	400	130°	
8430-3420S	420	130°	
8430-3440S	440	130°	
8430-3460S	460	130°	
8430-3480S	480	130°	

Inventory Control Sheet Gamma4 Nail

Nail Kits (cont.)



Ø15mm Long Nail (Left)

	Length (mm)	CCD Angle	Qty.
8520-5240S	240	120°	
8520-5260S	260	120°	
8520-5280S	280	120°	
8520-5300S	300	120°	
8520-5320S	320	120°	
8520-5340S	340	120°	
8520-5360S	360	120°	
8520-5380S	380	120°	
8520-5400S	400	120°	
8520-5420S	420	120°	
8520-5440S	440	120°	
8520-5460S	460	120°	
8520-5480S	480	120°	
8525-5240S	240	125°	
8525-5260S	260	125°	
8525-5280S	280	125°	
8525-5300S	300	125°	
8525-5320S	320	125°	
8525-5340S	340	125°	
8525-5360S	360	125°	
8525-5380S	380	125°	
8525-5400S	400	125°	
8525-5420S	420	125°	
8525-5440S	440	125°	
8525-5460S	460	125°	
8525-5480S	480	125°	
8530-5240S	240	130°	
8530-5260S	260	130°	
8530-5280S	280	130°	
8530-5300S	300	130°	
8530-5320S	320	130°	
8530-5340S	340	130°	
8530-5360S	360	130°	
8530-5380S	380	130°	
8530-5400S	400	130°	
8530-5420S	420	130°	
8530-5440S	440	130°	
8530-5460S	460	130°	
8530-5480S	480	130°	

Ø15mm Long Nail (Right)

	Length (mm)	CCD Angle	Qty.
8420-5240S	240	120°	
8420-5260S	260	120°	
8420-5280S	280	120°	
8420-5300S	300	120°	
8420-5320S	320	120°	
8420-5340S	340	120°	
8420-5360S	360	120°	
8420-5380S	380	120°	
8420-5400S	400	120°	
8420-5420S	420	120°	
8420-5440S	440	120°	
8420-5460S	460	120°	
8420-5480S	480	120°	
8425-5240S	240	125°	
8425-5260S	260	125°	
8425-5280S	280	125°	
8425-5300S	300	125°	
8425-5320S	320	125°	
8425-5340S	340	125°	
8425-5360S	360	125°	
8425-5380S	380	125°	
8425-5400S	400	125°	
8425-5420S	420	125°	
8425-5440S	440	125°	
8425-5460S	460	125°	
8425-5480S	480	125°	
8430-5240S	240	130°	
8430-5260S	260	130°	
8430-5280S	280	130°	
8430-5300S	300	130°	
8430-5320S	320	130°	
8430-5340S	340	130°	
8430-5360S	360	130°	
8430-5380S	380	130°	
8430-5400S	400	130°	
8430-5420S	420	130°	
8430-5440S	440	130°	
8430-5460S	460	130°	
8430-5480S	480	130°	

Trochanteric Nail 170mm




	Diameter (mm)	CCD Angle	Qty.
8120-9170S	Ø9	120°	
8120-0170S	Ø10	120°	
8120-1170S	Ø11	120°	
8120-2170S	Ø12	120°	
8120-3170S	Ø13	120°	
8125-9170S	Ø9	125°	
8125-0170S	Ø10	125°	
8125-1170S	Ø11	125°	

	Diameter (mm)	CCD Angle	Qty.
8125-2170S	Ø12	125°	
8125-3170S	Ø13	125°	
8130-9170S	Ø9	130°	
8130-0170S	Ø10	130°	
8130-1170S	Ø11	130°	
8130-2170S	Ø12	130°	
8130-3170S	Ø13	130°	

Inventory Control Sheet Gamma4 Nail


Screws



Ø10.5mm Lag Screw

	Length (mm)	Qty.		Length (mm)	Qty.
8160-0070S	70	<input type="text"/>	8160-0105S	105	<input type="text"/>
8160-0075S	75	<input type="text"/>	8160-0110S	110	<input type="text"/>
8160-0080S	80	<input type="text"/>	8160-0115S	115	<input type="text"/>
8160-0085S	85	<input type="text"/>	8160-0120S	120	<input type="text"/>
8160-0090S	90	<input type="text"/>	8160-0125S	125	<input type="text"/>
8160-0095S	95	<input type="text"/>	8160-0130S	130	<input type="text"/>
8160-0100S	100	<input type="text"/>			

End Cap



	Type	Diameter (mm)	Length (mm)	Qty.
8004-0000S	Standard	11	0	<input type="text"/>
8004-0005S	+5mm	15.5	5	<input type="text"/>
8004-0010S	+10mm	15.5	10	<input type="text"/>
8004-0015S	+15mm	15.5	15	<input type="text"/>

Ø5mm Locking Screw



	Length (mm)	Qty.		Length (mm)	Qty.
2360-5025S	25	<input type="text"/>	2360-5060S	60	<input type="text"/>
2360-5027S	27.5	<input type="text"/>	2360-5065S	65	<input type="text"/>
2360-5030S	30	<input type="text"/>	2360-5070S	70	<input type="text"/>
2360-5032S	32.5	<input type="text"/>	2360-5075S	75	<input type="text"/>
2360-5035S	35	<input type="text"/>	2360-5080S	80	<input type="text"/>
2360-5037S	37.5	<input type="text"/>	2360-5085S	85	<input type="text"/>
2360-5040S	40	<input type="text"/>	2360-5090S	90	<input type="text"/>
2360-5042S	42.5	<input type="text"/>	2360-5095S	95	<input type="text"/>
2360-5045S	45	<input type="text"/>	2360-5100S	100	<input type="text"/>
2360-5047S	47.5	<input type="text"/>	2360-5105S	105	<input type="text"/>
2360-5050S	50	<input type="text"/>	2360-5110S	110	<input type="text"/>
2360-5052S	52.5	<input type="text"/>	2360-5115S	115	<input type="text"/>
2360-5055S	55	<input type="text"/>	2360-5120S	120	<input type="text"/>
2360-5057S	57.5	<input type="text"/>			

Disposables

	Description	Qty.
1420-0060S	Precision Pin, Ø3.9mm × 450mm	<input type="text"/>
1420-0065S	Precision Pin, Tapered Ø3.9mm × 450mm	<input type="text"/>
2351-4236S	Locking Drill, Ø4.2 × 360mm	<input type="text"/>
2351-4218S	Freehand Drill, Ø4.2 × 180mm	<input type="text"/>
2351-5500S	Counterbore Drill, Short, Ø5.5 × 185mm	<input type="text"/>
2351-5510S	Counterbore Drill, Long, Ø5.5 × 255mm	<input type="text"/>
2351-5515S	Counterbore Drill, Manual, Ø5.5 × 280mm	<input type="text"/>
2351-3082S	Guide Wire, Ø3 × 800mm	<input type="text"/>
2351-3102S	Guide Wire, Ø3 × 1000mm	<input type="text"/>
1210-6450S	K-wire, Ø3.2mm × 450mm	<input type="text"/>

Ø5mm Advanced Locking Screw



	Length (mm)	Qty.		Length (mm)	Qty.
2361-5030S	30	<input type="text"/>	2361-5057S	57.5	<input type="text"/>
2361-5032S	32.5	<input type="text"/>	2361-5060S	60	<input type="text"/>
2361-5035S	35	<input type="text"/>	2361-5065S	65	<input type="text"/>
2361-5037S	37.5	<input type="text"/>	2361-5070S	70	<input type="text"/>
2361-5040S	40	<input type="text"/>	2361-5075S	75	<input type="text"/>
2361-5042S	42.5	<input type="text"/>	2361-5080S	80	<input type="text"/>
2361-5045S	45	<input type="text"/>	2361-5085S	85	<input type="text"/>
2361-5047S	47.5	<input type="text"/>	2361-5090S	90	<input type="text"/>
2361-5050S	50	<input type="text"/>	2361-5095S	95	<input type="text"/>
2361-5052S	52.5	<input type="text"/>	2361-5100S	100	<input type="text"/>
2361-5055S	55	<input type="text"/>			

A surgeon must always rely on his or her own professional clinical judgment when deciding whether to use a particular product when treating a particular patient. Stryker does not dispense medical advice and recommends that surgeons be trained in the use of any particular product before using it in surgery.

The information presented is intended to demonstrate the breadth of Stryker product offerings. A surgeon must always refer to the package insert, product label and/or instructions for use before using any Stryker product. Products may not be available in all markets because product availability is subject to the regulatory and/or medical practices in individual markets.

Please contact your Stryker representative if you have questions about the availability of Stryker products in your area.

Stryker Corporation or its divisions or other corporate affiliated entities own, use or have applied for the following trademarks or service marks: Gamma4, Stryker. All other trademarks are trademarks of their respective owners or holders.

Stryker Australia
 8 Herbert Street,
 St Leonards NSW 2065
 T: 61 2 9467 1000
 F: 61 2 9467 1010

Stryker New Zealand
 PO Box 17-136
 Greenlane Auckland 1546
 T: 64 9 573 1890
 F: 64 9 573 1891

stryker.com

Hospital Signature