### *s*tryker

# **LUCAS® 3** Chest Compression System

### System values

The LUCAS Chest Compression system provides benefits to cardiac arrest patients by delivering Guideline-consistent, high-quality chest compressions even under difficult conditions and for extended periods of time. The device allows you and your team to work more efficiently without having to compromise on your own safety.



### Improved outcomes

- Contributes to increased survival rates in systems of care<sup>1</sup>
- As safe and effective as high-quality CPR in large randomised trial with >99% good neurological outcomes<sup>2</sup>

### Improved hemodynamics

- Greater blood flow to brain and heart<sup>3,4,5</sup>
- $\bullet$  Higher EtCO  $_2$  values indicative of higher chance of ROSC  $^6$

### **Improved CPR metrics**

- More consistent quality (depth and rate)<sup>7,8,9</sup>
- Fewer interruptions 10,11

### Facilitates extended resuscitations

- Chest compression quality is not limited by fatigue
- Published multi-hour successful resuscitations

## High-quality CPR during transport

- Improved CPR quality<sup>7,8</sup>
- Fewer interruptions<sup>10</sup>
- Patient transfer without impacting CPR

### **Bridge to PCI or ECMO**

- Extend reach of care with consistent and high-quality compressions
- Facilitates ECMO/PCI and allows for treatment of the underlying cause during CPR

# Patient

**Caregiver** 

Bridge to

#### Reduce event stress

- Eliminates focus on 'who's next for compressions?'
- Focus on treating underlying condition

### Do more with less

- Can provide high-quality care even when short-staffed
- More efficient use of resources

### Provides CPR guidance and data for feedback

- Ventilation alerts
- · Post-event data reporting

### Facilitates safer transport

• Rescuers can avoid awkward and potentially dangerous situations when performing CPR during patient transport

#### Reduce work-related injuries

- Reduce body strain during extended resuscitations
- Provide high-quality CPR in awkward physical conditions

# Reduce X-ray exposure of CPR provider during PCI

## **Industry-Leading Partner**

At Stryker we not only offer the best solutions for your needs, we also ensure you have the best resources and support to implement and maintain our solutions.



#### **SERVICE**

We offer comprehensive support to fit your needs.



#### **CLINICAL TRAINING**

We provide comprehensive training to establish and maintain quality clinical practices.



#### **LEGACY**

As the industry pioneer in defibrillation, mechanical chest compression and external pacing, we continue to innovate products to evolve patient care.



#### **FINANCE**

We offer numerous payment structures that can be customised to meet budgetary needs and help to build long-term financial stability.

#### References

- 1 Sporer K, Jacobs M, Derevin L, et al. Continuous quality improvement efforts increase survival with favorable neurologic outcome after out-of-hospital cardiac arrest. Prehosp Emerg Care. 2016;14:1-6.
- 2 Rubertsson S, Lindgren E, Smekal D, et al. Mechanical chest compressions and simultaneous defibrillation vs conventional cardiopulmonary resuscitation in out-of-hospital cardiac arrest: The LINC Randomised Trial. JAMA. 2014;311:53-6.
- 3 Carmona Jiménez F, Padró PP, García AS, et al. Cerebral flow improvement during CPR with LUCAS, measured by Doppler. Resuscitation. 2011; 82S1:30,AP090. [This study is also published in a longer version, in Spanish language with English abstract, in Emergencias. 2012;24:47-49].
- 4 Larsen A, Hjornevik A, Bonarjee V, et al. Coronary blood flow and perfusion pressure during coronary angiography in patients with ongoing mechanical chest compression: A report on 6 cases. Resuscitation. 2010;81:493–497.
- 5 Wagner H, Madsen Hardig B, Harnek J, et al. Aspects on resuscitation in the coronary interventional catheter laboratory. Circulation. 2010;122:A91 (+ Poster on file at Physio-Control).
- 6 Axelsson C, Karlsson T, Axelsson ÅB, et al. Mechanical active compression-decompression cardiopulmonary resuscitation (ACDCPR) versus manual CPR according to pressure of end tidal carbon dioxide (PETCO2) during CPR in out-of-hospital cardiac arrest (OHCA). Resuscitation. 2009;80(10):1099-103.
- 7 Putzer G, Braun P, Zimmerman A, et al. LUCAS compared to manual cardiopulmonary resuscitation is more effective during helicopter rescue a prospective, randomised, cross-over manikin study. Am J Emerg Med. 2013 Feb;31(2):384-9.
- 8 Gyory R, Buchle S, Rodgers D, et al. The efficacy of LUCAS in prehospital cardiac arrest scenarios: A crossover mannequin study. West J Emerg Med. 2017;18(3):437-445.
- 9 Wyss CA, Fox J, Franzeck F, et al. Mechanical versus manual chest compression during CPR in a cardiac catherisation settling. Cardiovascular Medicine. 2010;13(3):92-96 (http://www.cardiovascular-medicine.ch/pdf/2010/2010-03/2010-03-005.PDF).
- 10 Olasveengen TM, Wik L, Steen PA. Quality of cardiopulmonary resuscitation before and during transport in out-of-hospital cardiac arrest. Resuscitation. 2008;76(2):185-90.
- 11 Maule Y. The aid of mechanical CPR; better compressions, but more importantly more compressions... (translated from French language; Assistance Cardiaque Externe; Masser mieux, mais surtout masser plus...). Urgence Pratique. 2011;106:47-48.

### Physio-Control is now part of Stryker.

 $For further information\ please\ contact\ your\ local\ Stryker\ or\ Physio-Control\ representative\ or\ visit\ our\ website\ at\ www.physio-control.com$ 

Physio-Control Headquarters 11811 Willows Road NE Redmond, WA 98052 USA Tel 425 867 4000 www.physio-control.com Stryker European Operations B.V. Herikerbergweg 110 1101 CM Amsterdam Netherlands Tel +31 (0)43 3620008 Fax +31 (0)43 3632001 Stryker UK Ltd Stryker House Hambridge Road Newbury, Berkshire RG14 5AW United Kingdom Stryker Australia Pty Ltd 8 Herbert Street St Leonards NSW 2065 Australia Toll Free Tel 1800 987 982 Toll Free Fax 1800 890 892



Jolife AB, Scheelevägen 17, Ideon Science Park, SE-223 70 LUND, Sweden