



Save Simply

Supporting your infection prevention initiatives

Finding ways to manage risk

Research shows when healthcare facilities consciously take steps to prevent infections, rates of targeted hospital-associated infections (HAIs) can be significantly decreased.

Device-associated infections account for a quarter of HAIs¹. Therefore, hospital infection control practices advisory committee (HICPAC) guidelines for transmission-based precautions state: “use disposable noncritical patient-care equipment or implement patient-dedicated use of such equipment.”³

Save simply single-patient use ECG lead sets

As part of your comprehensive HAI policy, incorporating single-patient use supplies can help:

- Support your goals in reducing HAIs
- Supply you with new and reprocessed single-patient use ECG lead sets
- Offer one low price from a single vendor



1 in 25

hospital patients has at least one HAI¹

\$20,785

hospital care cost increase per patient²

1 in 4

HAIs are due to device-associated infections¹

To learn more contact your Sustainability Solutions representative or visit sustainability.stryker.com/save-simply

Sustainability Solutions 1 888 888 3433

Stryker Corporation or its affiliates own, use, or have applied for the following trademarks or service marks: Stryker. All other trademarks are the trademarks of their respective owners or holders. ¹Magill SS, Edwards JR, Bamberg W, et al. Multistate Point-Prevalence Survey of Health Care-Associated Infections. The New England Journal of Medicine 2014;370:1198-208. DOI: 10.1056/NEJMoa1306801. ²Zimlichman E, Henderson D, Tamir O, Franz C, Song P, Yamin CK, Keohane C, Denham CR, Bates DW. Health Care-Associated Infections: A Meta-analysis of Costs and Financial Impact on the US Health Care System. JAMA Intern Med. 2013;173(22):2039-2046. doi:10.1001/jamainternmed.2013.9763. ³Siegel JD, Rhinehart E, Jackson M, Chiarello L, and the Healthcare Infection Control Practices Advisory Committee. 2007 Guideline for Isolation Precautions: Preventing Transmission of Infectious Agents in Healthcare Settings. <http://www.cdc.gov/hicpac/pdf/isolation/Isolation2007.pdf>. MKT10146 Rev. A 1750 | 1810 West Drake Drive, Tempe, AZ 85283 USA | Copyright © 2017 Stryker

Authorized dealer

