

VariAx[®] 2

Plating Solutions

System components list

VariAx 2 Foot
Stryker Foot Plating System



Trays

	Ref	Description	Qty/Set
	940160	Upper Tray, F&A	1
	1500-0002	Lid 1/2 Size	1
	1500-0006	Lower Tray 2 Level	1
	1500-0005	Drawer	1
	940165	Insert - Reduction Instruments 1, F&A	1
	940166	Insert - Reduction Instruments 2, F&A	1
	940161	Screw Rack Locking Screws ø3.5mm, T10	1
	940162	Screw Rack Non-Locking Screws ø3.5mm, T101	
	940163	Screw Rack ø2.7mm, T8	1
	940164	Screw Rack ø2.4mm, T8	1
	940167	Module - NCM Plates	1
	940168	Module - TN, NC Plates	1
	940169	Module - LCL Plates	1
	940170	Module - Cuboid, Navicular, Talus Plates	1
	940171	Module - Curved, Straight Plates	1
	940172	Module - 3D, T, Oblique T, L Plates	1
	940173	Module - H, Rectangular Plates	1
	940174	Module - Calcaneal Plates	1

	Ref	Description	Qty/Set
	940473	Module - Straight Plates*	1
	940474	Module - Slim Y Plates*	1
	940475	Module - Broad Y Plates*	1
	940177	Plate module lid	1
	940176	VariAx 2 screw rack lid	1
	940472	Insert - Wedge Trials	1

* These products are not CE marked in accordance with applicable EU regulations and directives. Stryker is not marketing or distributing these products in the EU. Any reference to these products is for presentation purposes only.

Instruments

	Ref	Description	Qty/Set
	703921	Handle, medium	1
	703920	Handle, large	1
	703922	Handle insert, AO, ratchet, cannulated	2
	703663	Screwdriver blade, AO, T8, self retaining	2
	703880	Screwdriver blade, AO, T10, self retaining	2
	703927	Joystick for T8 screw holes	2
	703928	Joystick for T10 screw holes	2
	705170	VariAx 2/CP depth gauge for T8/T10 screws	1
	703684	Drill guide, 2.0mm drill, comp/polyaxial (T8)	1
	703882	Drill guide, 2.6mm drill, comp/polyaxial (T10)	1
	703884	Drill guide, for 2.7mm independent lag screw (T8)	1
	703686	Drill guide, for 3.5mm independent lag screw (T10)	1
	703886	SpeedGuide, for 3.5mm screws, T10 (L = 30mm)	1
	703888	SpeedGuide, for 2.4/2.7mm screws, T8 (L = 30mm)	1
	703896	Drill bit, AO, dia 2.0mm x 135mm, scaled	2
	703691	Drill bit, AO, dia 2.6mm x 135mm, scaled	2
	703897	Overdrill, AO, dia 2.7mm x 122mm	1
	703694	Overdrill, AO, dia 3.5mm x 122mm	1
	45-80040	Countersink for screws 2.7/3.5mm AO fitting	1
	703898	Tap, AO, for 3.5mm screws	1
	703899	Tap, AO, for 2.7mm screws	1
	703894	SpeedGuide drill, AO, dia 2.6mm (L = 30mm)	1
	703891	SpeedGuide drill, AO, dia 2.0mm (L = 30mm)	1

	Ref	Description	Qty/Set
	45-80010	Plate bending pliers	2
	700153	Ball spike	1
	703822	Straight reduction clamp	2
	702932	Repositioning forceps, serrated jaws	2
	700151	Hook	1
	45-80030	Joint distraction forceps	1
	700664	Hohmann retractor 6mm	2
	700665	Hohmann retractor 8mm	2
	700667	Hohmann retractor 15mm	2
	700668	Periosteal and freer elevator	1
	705293	Periosteal elevator, straight edge 6mm	1
	705295	Periosteal elevator, flat blade 13mm	1
	705175	Plate and screw forceps	1
	700666	Periosteal and freer elevator	1
	45-80100	K-wire fully threaded 1.6mm x 200mm	5
	45-80200	K-wire smooth 1.4mm x 100mm	5
	45-80300	Steinmann pin smooth 2.5mm x 100mm	5
	XBR001002	Anchorage fixation pin	5
	705760	Wedge Trial 6mm	1
	705761	Wedge Trial 8mm	1
	705762	Wedge Trial 10mm	1
	705763	Wedge Trial 12mm	1

VariAx 2 screws

	Ref	Description	Qty/Set
Washer	619920	Washer for 2.4/2.7/3.5	12
	657308	T10, full thread, 3.5mm/ L 8mm	5
	657310	T10, full thread, 3.5mm/ L 10mm	5
	657312	T10, full thread, 3.5mm/ L 12mm	10
	657314	T10, full thread, 3.5mm/ L 14mm	10
	657316	T10, full thread, 3.5mm/ L 16mm	10
	657318	T10, full thread, 3.5mm/ L 18mm	10
	657320	T10, full thread, 3.5mm/ L 20mm	10
	657322	T10, full thread, 3.5mm/ L 22mm	5
	657324	T10, full thread, 3.5mm/ L 24mm	5
	657326	T10, full thread, 3.5mm/ L 26mm	5
	657328	T10, full thread, 3.5mm/ L 28mm	5
	657330	T10, full thread, 3.5mm/ L 30mm	5
	657332	T10, full thread, 3.5mm/ L 32mm	5
	657334	T10, full thread, 3.5mm/ L 34mm	5
	657336	T10, full thread, 3.5mm/ L 36mm	5
	657338	T10, full thread, 3.5mm/ L 38mm	5
	657340	T10, full thread, 3.5mm/ L 40mm	5
	657342	T10, full thread, 3.5mm/ L 42mm	5
	657344	T10, full thread, 3.5mm/ L 44mm	5
	657346	T10, full thread, 3.5mm/ L 46mm	5
	657348	T10, full thread, 3.5mm/ L 48mm	5
	657350	T10, full thread, 3.5mm/ L 50mm	5
	657355	T10, full thread, 3.5mm/ L 55mm	5
	657360	T10, full thread, 3.5mm/ L 60mm	5
	657365	T10, full thread, 3.5mm/ L 65mm	5
	657370	T10, full thread, 3.5mm/ L 70mm	5

**VariAx 2 bone screw, T10 -
3.5mm (non-locking)**



Ref	Description	Qty/Set
657408	T10, full thread, 3.5mm/ L 8mm	5
657410	T10, full thread, 3.5mm/ L 10mm	5
657412	T10, full thread, 3.5mm/ L 12mm	10
657414	T10, full thread, 3.5mm/ L 14mm	10
657416	T10, full thread, 3.5mm/ L 16mm	10
657418	T10, full thread, 3.5mm/ L 18mm	10
657420	T10, full thread, 3.5mm/ L 20mm	10
657422	T10, full thread, 3.5mm/ L 22mm	5
657424	T10, full thread, 3.5mm/ L 24mm	5
657426	T10, full thread, 3.5mm/ L 26mm	5
657428	T10, full thread, 3.5mm/ L 28mm	5
657430	T10, full thread, 3.5mm/ L 30mm	5
657432	T10, full thread, 3.5mm/ L 32mm	5
657434	T10, full thread, 3.5mm/ L 34mm	5
657436	T10, full thread, 3.5mm/ L 36mm	5
657438	T10, full thread, 3.5mm/ L 38mm	5
657440	T10, full thread, 3.5mm/ L 40mm	5
657442	T10, full thread, 3.5mm/ L 42mm	5
657444	T10, full thread, 3.5mm/ L 44mm	5
657446	T10, full thread, 3.5mm/ L 46mm	5
657448	T10, full thread, 3.5mm/ L 48mm	5
657450	T10, full thread, 3.5mm/ L 50mm	5
657455	T10, full thread, 3.5mm/ L 55mm	5
657460	T10, full thread, 3.5mm/ L 60mm	5
657465	T10, full thread, 3.5mm/ L 65mm	5
657470	T10, full thread, 3.5mm/ L 70mm	5

VariAx 2 locking screw, T8 - 2.7mm



Ref	Description	Qty/Set
656308	T8, full thread, 2.7mm/ L 8mm	3
656310	T8, full thread, 2.7mm/ L 10mm	6
656312	T8, full thread, 2.7mm/ L 12mm	9
656314	T8, full thread, 2.7mm/ L 14mm	9
656316	T8, full thread, 2.7mm/ L 16mm	9
656318	T8, full thread, 2.7mm/ L 18mm	9
656320	T8, full thread, 2.7mm/ L 20mm	9
656322	T8, full thread, 2.7mm/ L 22mm	3
656324	T8, full thread, 2.7mm/ L 24mm	3
656326	T8, full thread, 2.7mm/ L 26mm	3
656328	T8, full thread, 2.7mm/ L 28mm	3
656330	T8, full thread, 2.7mm/ L 30mm	3
656332	T8, full thread, 2.7mm/ L 32mm	3
656334	T8, full thread, 2.7mm/ L 34mm	3
656336	T8, full thread, 2.7mm/ L 36mm	3
656338	T8, full thread, 2.7mm/ L 38mm	3
656340	T8, full thread, 2.7mm/ L 40mm	3
656345	T8, full thread, 2.7mm/ L 45mm	3
656350	T8, full thread, 2.7mm/ L 50mm	3

VariAx 2 bone screw, T8 - 2.7mm (non-locking)



656408	T8, full thread, 2.7mm/ L 8mm	3
656410	T8, full thread, 2.7mm/ L 10mm	6
656412	T8, full thread, 2.7mm/ L 12mm	9
656414	T8, full thread, 2.7mm/ L 14mm	9
656416	T8, full thread, 2.7mm/ L 16mm	9
656418	T8, full thread, 2.7mm/ L 18mm	9
656420	T8, full thread, 2.7mm/ L 20mm	9
656422	T8, full thread, 2.7mm/ L 22mm	3
656424	T8, full thread, 2.7mm/ L 24mm	3
656426	T8, full thread, 2.7mm/ L 26mm	3
656428	T8, full thread, 2.7mm/ L 28mm	3
656430	T8, full thread, 2.7mm/ L 30mm	3
656432	T8, full thread, 2.7mm/ L 32mm	3
656434	T8, full thread, 2.7mm/ L 34mm	3
656436	T8, full thread, 2.7mm/ L 36mm	3
656438	T8, full thread, 2.7mm/ L 38mm	3
656440	T8, full thread, 2.7mm/ L 40mm	3
656445	T8, full thread, 2.7mm/ L 45mm	3
656450	T8, full thread, 2.7mm/ L 50mm	3

VariAx 2 locking screw, T8 - 2.4mm


Ref	Description	Qty/Set
656008	T8, full thread, 2.4mm/ L 8mm	3
656010	T8, full thread, 2.4mm/ L 10mm	6
656012	T8, full thread, 2.4mm/ L 12mm	9
656014	T8, full thread, 2.4mm/ L 14mm	9
656016	T8, full thread, 2.4mm/ L 16mm	9
656018	T8, full thread, 2.4mm/ L 18mm	9
656020	T8, full thread, 2.4mm/ L 20mm	9
656022	T8, full thread, 2.4mm/ L 22mm	3
656024	T8, full thread, 2.4mm/ L 24mm	3
656026	T8, full thread, 2.4mm/ L 26mm	3
656028	T8, full thread, 2.4mm/ L 28mm	3
656030	T8, full thread, 2.4mm/ L 30mm	3
656032	T8, full thread, 2.4mm/ L 32mm	3
656034	T8, full thread, 2.4mm/ L 34mm	3
656036	T8, full thread, 2.4mm/ L 36mm	3
656038	T8, full thread, 2.4mm/ L 38mm	3

VariAx 2 bone screw, T8 - 2.4mm (non-locking)


656108	T8, full thread, 2.4mm/ L 8mm	3
656110	T8, full thread, 2.4mm/ L 10mm	6
656112	T8, full thread, 2.4mm/ L 12mm	9
656114	T8, full thread, 2.4mm/ L 14mm	9
656116	T8, full thread, 2.4mm/ L 16mm	9
656118	T8, full thread, 2.4mm/ L 18mm	9
656120	T8, full thread, 2.4mm/ L 20mm	9
656122	T8, full thread, 2.4mm/ L 22mm	3
656124	T8, full thread, 2.4mm/ L 24mm	3
656126	T8, full thread, 2.4mm/ L 26mm	3
656128	T8, full thread, 2.4mm/ L 28mm	3
656130	T8, full thread, 2.4mm/ L 30mm	3
656132	T8, full thread, 2.4mm/ L 32mm	3
656134	T8, full thread, 2.4mm/ L 34mm	3
656136	T8, full thread, 2.4mm/ L 36mm	3
656138	T8, full thread, 2.4mm/ L 38mm	3

Plates

		Ref	Description	Qty/Set
VariAx 2 Foot – Slim Plates*				
accept T8 screws				
		626962	Slim Straight Plate, 2 holes (T8)	2
		626963	Slim Straight Plate, 3 holes (T8)	2
		626964	Slim Straight Plate, 4 holes (T8)	2
		626965	Slim Straight Plate, 5 holes (T8)	2
		626966	Slim Straight Plate, 6 holes (T8)	2
		626967	Slim Straight Plate, 7 holes (T8)	2
VariAx 2 Foot – Broad Plates*				
accept T10 screws				
		626972	Broad Straight Plate, 2 holes (T10)	2
		626973	Broad Straight Plate, 3 holes (T10)	2
		626974	Broad Straight Plate, 4 holes (T10)	2
		626975	Broad Straight Plate, 5 holes (T10)	2
		626976	Broad Straight Plate, 6 holes (T10)	2
		626977	Broad Straight Plate, 7 holes (T10)	2

* These products are not CE marked in accordance with applicable EU regulations and directives. Stryker is not marketing or distributing these products in the EU. Any reference to these products is for presentation purposes only.

VariAx 2 Foot - Slim Y-plates*
accept T8 screws


Ref	Description	Qty/Set
626982	Slim Y-Plate, 2 shaft holes (T8)	2
626983	Slim Y-Plate, 3 shaft holes (T8)	2
626984	Slim Y-Plate, 4 shaft holes (T8)	2
626985	Slim Y-Plate, 5 shaft holes (T8)	2
626986	Slim Y-Plate, 6 shaft holes (T8)	2
626987	Slim Y-Plate, 7 shaft holes (T8)	2


VariAx 2 Foot - Broad Y-plates*
accept T10 screws


626992	Broad Y-Plate, 2 shaft holes (T10)	2
626993	Broad Y-Plate, 3 shaft holes (T10)	2
626994	Broad Y-Plate, 4 shaft holes (T10)	2
626995	Broad Y-Plate, 5 shaft holes (T10)	2
626996	Broad Y-Plate, 6 shaft holes (T10)	2
626997	Broad Y-Plate, 7 shaft holes (T10)	2

* These products are not CE marked in accordance with applicable EU regulations and directives. Stryker is not marketing or distributing these products in the EU. Any reference to these products is for presentation purposes only.

	Ref	Description	Qty/Set
VariAx 2 Foot - accept T10 screws			
 	626761	Talo-navicular, short (T10)	2
	626762	Talo-navicular, long (T10)	2
 	626751	Navicular-cuneiform, left, short (T10)	2
	626752	Navicular-cuneiform, right, short (T10)	2
	626753	Navicular-cuneiform, left, long (T10)	2
	626754	Navicular-cuneiform, right, long (T10)	2
 	626771	Medial column fusion, left, short (T10)	2
	626772	Medial column fusion, right, short (T10)	2
	626773	Medial column fusion, left, long (T10)	2
	626774	Medial column fusion, right, long (T10)	2
 	626800	Lateral column lengthening, 0mm (T10)	2
	626806	Lateral column lengthening, 6mm (T10)	2
	626808	Lateral column lengthening, 8mm (T10)	2
	626810	Lateral column lengthening, 10mm (T10)	2
	626812	Lateral column lengthening, 12mm (T10)	2
VariAx 2 Foot - accept T8 screws			
 	626880	Talar neck (T8)	2
 	626881	Navicular, left (T8)	2
	626882	Navicular, right (T8)	2
 	626885	Cuboid (T8)	2

Stryker Foot Plating system

	Ref	Description	Qty/Set
 	40-10102	Calcaneus mesh plate - small	2
	40-10104	Calcaneus mesh plate - medium	2
	40-10106	Calcaneus mesh plate - large	2
 	40-10112	Calcaneus standard plate - small	2
	40-10114	Calcaneus standard plate - medium	2
	40-10116	Calcaneus standard plate - large	2
 	40-15011	Curved plate - 4 holes	2
	40-15012	Curved plate - 5 holes right	2
	40-15013	Curved plate - 5 holes left	2
	40-15014	Curved plate - 6 holes	2
  	40-15021	H-plate - small	2
	40-15022	H-plate - medium	2
	40-15023	H-plate - large	2
 	40-15031	Rectangular compression plate - size 1	2
	40-15032	Rectangular locking plate - size 2	2
	40-15033	Rectangular compression plate - size 2	2

Stryker Foot Plating system

	Ref	Description	Qty/Set
 	40-15041	Broad straight plate - short	2
	40-15042	Broad straight plate - medium	2
	40-15043	Broad straight plate - long	2
 	40-15061	3-D plate - left	2
	40-15062	3-D plate - right	2
 	40-15071	Oblique T-plate - left	2
	40-15072	Oblique T-plate - right	2
 	40-15081	T-plate	2
 	40-15091	L-plate - left	2
	40-15092	L-plate - right	2

References:

1. SmartLock technology is licensed from Prof. Wolter, Hamburg, Germany.

Foot & Ankle

This document is intended solely for the use of healthcare professionals. A surgeon must always rely on his or her own professional clinical judgment when deciding whether to use a particular product when treating a particular patient. Stryker does not dispense medical advice and recommends that surgeons be trained in the use of any particular product before using it in surgery. The information presented in this brochure is intended to demonstrate a Stryker product. Always refer to the package insert, product label and/or user instructions including the instructions for Cleaning and Sterilization (if applicable) before using any Stryker products. Products may not be available in all markets. Product availability is subject to the regulatory or medical practices that govern individual markets. Please contact your Stryker representative if you have questions about the availability of Stryker products in your area.

Stryker Corporation or its divisions or other corporate affiliated entities own, use or have applied for the following trademarks or service marks: Anchorage, SmartLock, SpeedGuide, Stryker, VariAx. All other trademarks are trademarks of their respective owners or holders.

Unless otherwise indicated, products above are CE marked. Refer to the main product label for CE mark information.

Content ID: VAX-SCS-1_Rev-3, 06-2017

Copyright © 2017 Stryker



Manufacturer:

Stryker GmbH
Bohnackerweg 1
2545 Selzach
Switzerland
stryker.com