


Sonopet iQ Ultrasonic Aspirator System

# Broaden your capability

# Introducing the iQ Broad Knife bone cutting tip



#### Innovative air-cooling holes designed for heat management

**RFID** recognition Automatically adjusts to

surgeon profiles

ideal default settings Ability to set up custom

Extended

grip

# **Brilliantly** broadening your portfolio

Our new iQ Broad Knife ultrasonic tip delivers added power when you need it most. As the broadest and thickest cutting knife in the Sonopet iQ portfolio, you'll gain enhanced ability to cut through thick bone with the strength and efficiency you want. This new tip makes Sonopet iO a convenient single source for all your ultrasonic bone and tissue cutting needs, plus simplified ordering and inventory management.

### A broad advantage

**Engineered to maximize access** and reach with 25mm working length, 8.2mm cutting length and 1.4mm cutting width

**One universal handpiece** provides the ability to handle bone cutting, soft tissue and fibrous tissue

Market's broadest ultrasonic tip lineup on Sonopet iQ's universal **handpiece**<sup>1</sup> with 16 different tips: 10 for bone. 6 for soft tissue

Proven to reduce mean operating time<sup>2</sup>

#### All the essentials. One source.

With ease-of-use and procedural efficiency at its core, the Sonopet iQ system is designed to expand your capabilities while streamlining capital costs, O.R. workspace, inventory and staff training.

"I think the size and the heft...the resilience of the Broad Knife is really appealing."<sup>3</sup>

Neurosurgeon



### Market's broadest ultrasonic tip lineup on Sonopet iQ's universal handpiece<sup>1</sup>

- 16 tips; 10 for bone and 6 for soft tissue
- Various lengths, diameters, tip styles and frangible irrigation sleeves for adjustable surface exposure

Soft tissue













25mm working length

8.2mm cutting length

• Non-serrated distal tip for precision and control while

(3.2mm from blunt tip)

• Serrations enhance efficiency

cutting thick bone

for access and reach

**iQ Broad Knife** 

is designed for

reduced stalling in thick  $bone^1$ 





**Bone cutting** 

Visibility Low profile slim handpiece optimizes visibility, enhances ergonomics

#### Ease of use One step connection, integrated suction and irrigation

#### **Simplicity**

SUVIEI

One universal handpiece compatible with soft tissue/ bone cutting tips and tubing

"The great thing about this is that it's super quick on cancellous bone but you can really appreciate the changes from the cancellous to the cortical bone."<sup>3</sup>

Orthopaedic surgeon

#### 1.4mm cutting width

• Increased width allows for robust cutting experience • Avoids workflow interruptions

- by providing osteotome functionality
- Creates clean-edged kerf channel











11cm iQ





## stryker

### Making healthcare better, one instrument at a time

We value our collaboration with you. So when you asked for an ultrasonic knife with added power to cut tough bone, we listened and delivered. With this addition to the Sonopet iQ portfolio, we aim to improve your procedural experiences and – combined with your skill – procedural outcomes.

To trial the iO Broad Knife cutting accessory or to get more information, contact your Neurosurgical sales representative, call **800 253 3210** or visit **neurosurgical.stryker.com.** 

1. Stryker data on file

 All comparative metrics and claims are Sonopet iQ compared to Sonopet 1. Stryker internal test data on file

3. Source and consent on file

#### **Ordering information**

Capital					
Part number	Product description				
5500-050-000	Sonopet iQ Ultrasonic Aspirator Console (includes power cord, irrigation pole and hand controller)				
5500-255-000	Sonopet iQ Universal Angled Handpiece				
5500-800-278	Sonopet iQ Sterilization Tray				
5500-402-000	Sonopet iQ Hand Controller				
5500-006-000	Sonopet iQ Basic Foot Pedal - Wired				
5500-007-000	Sonopet iQ Advanced Foot Pedal - Wired				
5500-008-000	Sonopet iQ Advanced Foot Pedal - Wireless (includes wireless receiver)				
5500-008-300	Sonopet iQ Wireless Receiver				
5450-800-039	Sonopet Torque Wrench, 7mm				
5450-850-410	Sonopet Cart				
Disposables					
Part number	Product description				
5450-851-012	Suction Canister, 12/box				
5500-573-000	Sonopet iO Irrigation Suction Cassette,	4/box			
5500-472-000	Sterile Drape, 4/box				
Soft tissue tips,	4/box	L	OD	ID	WL
5500-258-309	12cm iQ Micro	4.7in	1.6mm	1.2mm	4.25mm
5500-25S-309 5500-25S-307	12cm iQ Micro 12cm iQ Standard	4.7in 4.5in	1.6mm 1.92mm	1.2mm 1.5mm	4.25mm 4.25mm
5500-25S-307	12cm iQ Standard	4.5in	1.92mm	1.5mm	4.25mm
5500-25S-307 5500-25S-308	12cm iO Standard 12cm iO Large	4.5in 4.7in	1.92mm 2.49mm	1.5mm 2mm	4.25mm 4.25mm
5500-25S-307 5500-25S-308 5500-25S-301	12cm iO Standard 12cm iO Large 20cm iO Standard	4.5in 4.7in 8.1in	1.92mm 2.49mm 1.92mm	1.5mm 2mm 1.5mm	4.25mm 4.25mm 3.8mm
5500-25S-307 5500-25S-308 5500-25S-301 5500-25S-310	12cm iO Standard 12cm iO Large 20cm iO Standard 12cm iO Barracuda 12cm iO Serrated Large	4.5in 4.7in 8.1in 4.5in	1.92mm 2.49mm 1.92mm 1.92mm	1.5mm 2mm 1.5mm 1.5mm	4.25mm 4.25mm 3.8mm 4.25mm
5500-25S-307 5500-25S-308 5500-25S-301 5500-25S-310 5500-25S-316	12cm iO Standard 12cm iO Large 20cm iO Standard 12cm iO Barracuda 12cm iO Serrated Large	4.5in 4.7in 8.1in 4.5in 4.6in	1.92mm 2.49mm 1.92mm 1.92mm 2.51mm	1.5mm 2mm 1.5mm 1.5mm 2mm	4.25mm 4.25mm 3.8mm 4.25mm 4.2mm
5500-25S-307 5500-25S-308 5500-25S-301 5500-25S-310 5500-25S-316 Bone cutting tip	12cm iQ Standard 12cm iQ Large 20cm iQ Standard 12cm iQ Barracuda 12cm iQ Serrated Large <b>25,</b> 4/box	4.5in 4.7in 8.1in 4.5in 4.6in <b>L</b>	1.92mm 2.49mm 1.92mm 1.92mm 2.51mm CL	1.5mm 2mm 1.5mm 1.5mm 2mm <b>CW</b>	4.25mm 4.25mm 3.8mm 4.25mm 4.2mm <b>WL</b>
5500-25S-307 5500-25S-308 5500-25S-301 5500-25S-310 5500-25S-316 Bone cutting tip 5500-25B-315	12cm iO Standard 12cm iO Large 20cm iO Standard 12cm iO Barracuda 12cm iO Serrated Large <b>15, 4</b> /box 12cm iO Micro Claw	4.5in 4.7in 8.1in 4.5in 4.6in <b>L</b> 4.8in	1.92mm 2.49mm 1.92mm 2.51mm <b>CL</b> 1.6mm	1.5mm 2mm 1.5mm 1.5mm 2mm <b>CW</b> 2mm	4.25mm 4.25mm 4.25mm 4.25mm 4.2mm <b>WL</b> 12.25mm
5500-25S-307 5500-25S-308 5500-25S-301 5500-25S-310 5500-25S-316 Bone cutting tip 5500-25B-315 5500-25B-318	12cm iO Standard 12cm iO Large 20cm iO Standard 12cm iO Barracuda 12cm iO Serrated Large <b>iS</b> , 4/box 12cm iO Micro Claw 12cm iO Claw	4.5in 4.7in 8.1in 4.5in 4.6in L 4.8in 4.8in	1.92mm 2.49mm 1.92mm 2.51mm <b>CL</b> 1.6mm 1.7mm	1.5mm 2mm 1.5mm 1.5mm 2mm <b>CW</b> 2mm 2.8mm	4.25mm 4.25mm 3.8mm 4.25mm 4.2mm <b>WL</b> 12.25mm
5500-25S-307 5500-25S-308 5500-25S-301 5500-25S-310 5500-25S-316 Bone cutting tip 5500-25B-315 5500-25B-318 5500-25B-317	12cm iQ Standard 12cm iQ Large 20cm iQ Standard 12cm iQ Barracuda 12cm iQ Serrated Large <b>12cm iQ Micro Claw</b> 12cm iQ Micro Claw 12cm iQ 120 Claw	4.5in 4.7in 8.1in 4.5in 4.6in <b>L</b> 4.8in 4.8in 4.8in	1.92mm 2.49mm 1.92mm 2.51mm <b>CL</b> 1.6mm 1.7mm 2.58mm	1.5mm 2mm 1.5mm 2mm 2mm 2mm 2.8mm 3.15mm	4.25mm 4.25mm 4.25mm 4.2mm <b>WI</b> 12.25mm 12.25mm
5500-25S-307 5500-25S-308 5500-25S-301 5500-25S-310 5500-25S-316 Bone cutting tip 5500-25B-315 5500-25B-318 5500-25B-317 5500-25B-312	12cm iO Standard 12cm iO Large 20cm iO Standard 12cm iO Barracuda 12cm iO Serrated Large <b>95, 4/box</b> 12cm iO Micro Claw 12cm iO Claw 12cm iO 120 Claw 12cm iO Apex 360	4.5in 4.7in 8.1in 4.5in 4.6in <b>L</b> 4.8in 4.8in 4.8in 4.8in	1.92mm 2.49mm 1.92mm 2.51mm <b>CL</b> 1.6mm 1.7mm 2.58mm	1.5mm 2mm 1.5mm 2mm 2mm 2.8mm 3.15mm 3.15mm	4.25mm 4.25mm 4.25mm 4.25mm 12.25mm 12.25mm 12.25mm
5500-25S-307           5500-25S-308           5500-25S-301           5500-25S-310           5500-25S-316           Bone cutting till           5500-25B-315           5500-25B-318           5500-25B-317           5500-25B-312           5500-25B-302	12cm iO Standard12cm iO Large20cm iO Standard12cm iO Barracuda12cm iO Serrated Large95, 4/box12cm iO Micro Claw12cm iO 120 Claw12cm iO Apex 36020cm iO Apex 360	4.5in 4.7in 8.1in 4.5in 4.6in <b>L</b> 4.8in 4.8in 4.8in 7.9in	1.92mm 2.49mm 1.92mm 2.51mm <b>CL</b> 1.6mm 1.7mm 2.58mm 2.58mm	1.5mm 2mm 1.5mm 2mm 2mm 2mm 2.8mm 3.15mm 3.15mm	4.25mm 4.25mm 3.8mm 4.25mm 4.2mm 12.25mm 12.25mm 12.25mm 12.25mm
5500-25S-307 5500-25S-308 5500-25S-301 5500-25S-310 5500-25S-316 <b>Bone cutting tip</b> 5500-25B-315 5500-25B-317 5500-25B-317 5500-25B-312 5500-25B-302	<ul> <li>12cm iQ Standard</li> <li>12cm iQ Large</li> <li>20cm iQ Standard</li> <li>12cm iQ Barracuda</li> <li>12cm iQ Serrated Large</li> <li>95, 4/box</li> <li>12cm iQ Micro Claw</li> <li>12cm iQ 120 Claw</li> <li>12cm iQ Apex 360</li> <li>20cm iQ Apex 360</li> <li>18cm iQ Micro Claw</li> </ul>	4.5in 4.7in 8.1in 4.5in 4.6in <b>L</b> 4.8in 4.8in 4.8in 4.8in 7.9in 7.2in	1.92mm 2.49mm 1.92mm 2.51mm <b>CL</b> 1.6mm 1.7mm 2.58mm 2.58mm 2.58mm 1.6mm	1.5mm 2mm 1.5mm 2mm 2mm 2mm 3.15mm 3.15mm 3.15mm	4.25mm 4.25mm 4.25mm 4.2mm <b>WI</b> 12.25mm 12.25mm 12.25mm 11.05mm
5500-25S-307           5500-25S-308           5500-25S-301           5500-25S-310           5500-25S-316           Bone cutting tip           5500-25B-315           5500-25B-318           5500-25B-317           5500-25B-312           5500-25B-312           5500-25B-302           5500-25B-303           5500-25B-319	<ul> <li>12cm iQ Standard</li> <li>12cm iQ Large</li> <li>20cm iQ Standard</li> <li>12cm iQ Barracuda</li> <li>12cm iQ Serrated Large</li> <li>95, 4/box</li> <li>12cm iQ Micro Claw</li> <li>12cm iQ 120 Claw</li> <li>12cm iQ Apex 360</li> <li>20cm iQ Apex 360</li> <li>18cm iQ Micro Claw</li> <li>18cm iQ Apex Micro Claw</li> </ul>	4.5in 4.7in 8.1in 4.5in 4.6in <b>L</b> 4.8in 4.8in 4.8in 7.9in 7.2in 7.2in	1.92mm 2.49mm 1.92mm 2.51mm <b>CL</b> 1.6mm 1.7mm 2.58mm 2.58mm 2.58mm 1.6mm	1.5mm 2mm 1.5mm 2mm 2mm 2mm 2.8mm 3.15mm 3.15mm 3.15mm 2mm	4.25mm 4.25mm 4.25mm 4.2mm <b>WI</b> 12.25mm 12.25mm 12.25mm 11.05mm 12mm

Removal of the frangible sleeve adds 7.5mm to working lengths. On 5500-25B-114 and 5500-25B-107 there are 2 frangible sleeves meaning their working length can be increased by 7.5mm or 15mm. For 5500-25B-110 10cm iQ Broad Knife there is no frangible section on the sleeve.

#### Neurosurgical

This document is intended solely for the use of healthcare professionals. A surgeon must always rely on his or her own professional clinical judgment when deciding whether to use a particular product when treating a particular patient. We do not dispense medical advice and recommend that surgeons be trained in the use of any particular product before using it in surgery.

The information presented is intended to demonstrate Stryker's products. A surgeon must always refer to the package insert, product label and/or instructions for use, including the instructions for cleaning and sterilization (if applicable), before using any of Stryker's products. Products may not be available in all markets because product availability is subject to the regulatory and/or medical practices in individual markets. Please contact your representative if you have questions about the availability of Stryker's products in your area.

Stryker or its affiliated entities own, use, or have applied for the following trademarks or service marks: Apex, Barracuda, Sonopet iQ and Stryker. All other trademarks are trademarks of their respective owners or holders.

D0000091090 Rev. AA G55/PS Copyright © 2021 Stryker Printed in USA Stryker 4100 East Milham Avenue Kalamazoo, MI 49001 USA t. 269 323 7700 f: 269 323 2742 toll free: 800 253 3210

neurosurgical.stryker.com