

# Inventory Control Sheet



## Gamma4 Nail

Surgery Date \_\_\_\_\_

Patient Information

Hospital \_\_\_\_\_ Surgeon \_\_\_\_\_

Sales Rep \_\_\_\_\_ Covered by \_\_\_\_\_


P.O.# \_\_\_\_\_ Received by \_\_\_\_\_

Ship Via \_\_\_\_\_ Ship To \_\_\_\_\_ Replenish To \_\_\_\_\_

Inv. Source  Hosp. Owned  Hosp. Consigned  Loaner  Other \_\_\_\_\_

Billing Type  Bill Only  Ship Only  Ship & Bill  Other \_\_\_\_\_

## Nail Kits



### Ø9mm Long Nail (Left)

|            | Length (mm) | CCD Angle | Qty. |  |
|------------|-------------|-----------|------|--|
| 8520-9240S | 240         | 120°      |      |  |
| 8520-9260S | 260         | 120°      |      |  |
| 8520-9280S | 280         | 120°      |      |  |
| 8520-9300S | 300         | 120°      |      |  |
| 8520-9320S | 320         | 120°      |      |  |
| 8520-9340S | 340         | 120°      |      |  |
| 8520-9360S | 360         | 120°      |      |  |
| 8520-9380S | 380         | 120°      |      |  |
| 8520-9400S | 400         | 120°      |      |  |
| 8520-9420S | 420         | 120°      |      |  |
| 8520-9440S | 440         | 120°      |      |  |
| 8520-9460S | 460         | 120°      |      |  |
| 8520-9480S | 480         | 120°      |      |  |
| 8525-9240S | 240         | 125°      |      |  |
| 8525-9260S | 260         | 125°      |      |  |
| 8525-9280S | 280         | 125°      |      |  |
| 8525-9300S | 300         | 125°      |      |  |
| 8525-9320S | 320         | 125°      |      |  |
| 8525-9340S | 340         | 125°      |      |  |
| 8525-9360S | 360         | 125°      |      |  |
| 8525-9380S | 380         | 125°      |      |  |
| 8525-9400S | 400         | 125°      |      |  |
| 8525-9420S | 420         | 125°      |      |  |
| 8525-9440S | 440         | 125°      |      |  |
| 8525-9460S | 460         | 125°      |      |  |
| 8525-9480S | 480         | 125°      |      |  |
| 8530-9240S | 240         | 130°      |      |  |
| 8530-9260S | 260         | 130°      |      |  |
| 8530-9280S | 280         | 130°      |      |  |
| 8530-9300S | 300         | 130°      |      |  |
| 8530-9320S | 320         | 130°      |      |  |
| 8530-9340S | 340         | 130°      |      |  |
| 8530-9360S | 360         | 130°      |      |  |
| 8530-9380S | 380         | 130°      |      |  |
| 8530-9400S | 400         | 130°      |      |  |
| 8530-9420S | 420         | 130°      |      |  |
| 8530-9440S | 440         | 130°      |      |  |
| 8530-9460S | 460         | 130°      |      |  |
| 8530-9480S | 480         | 130°      |      |  |

### Ø9mm Long Nail (Right)

|            | Length (mm) | CCD Angle | Qty. |  |
|------------|-------------|-----------|------|--|
| 8420-9240S | 240         | 120°      |      |  |
| 8420-9260S | 260         | 120°      |      |  |
| 8420-9280S | 280         | 120°      |      |  |
| 8420-9300S | 300         | 120°      |      |  |
| 8420-9320S | 320         | 120°      |      |  |
| 8420-9340S | 340         | 120°      |      |  |
| 8420-9360S | 360         | 120°      |      |  |
| 8420-9380S | 380         | 120°      |      |  |
| 8420-9400S | 400         | 120°      |      |  |
| 8420-9420S | 420         | 120°      |      |  |
| 8420-9440S | 440         | 120°      |      |  |
| 8420-9460S | 460         | 120°      |      |  |
| 8420-9480S | 480         | 120°      |      |  |
| 8425-9240S | 240         | 125°      |      |  |
| 8425-9260S | 260         | 125°      |      |  |
| 8425-9280S | 280         | 125°      |      |  |
| 8425-9300S | 300         | 125°      |      |  |
| 8425-9320S | 320         | 125°      |      |  |
| 8425-9340S | 340         | 125°      |      |  |
| 8425-9360S | 360         | 125°      |      |  |
| 8425-9380S | 380         | 125°      |      |  |
| 8425-9400S | 400         | 125°      |      |  |
| 8425-9420S | 420         | 125°      |      |  |
| 8425-9440S | 440         | 125°      |      |  |
| 8425-9460S | 460         | 125°      |      |  |
| 8425-9480S | 480         | 125°      |      |  |
| 8430-9240S | 240         | 130°      |      |  |
| 8430-9260S | 260         | 130°      |      |  |
| 8430-9280S | 280         | 130°      |      |  |
| 8430-9300S | 300         | 130°      |      |  |
| 8430-9320S | 320         | 130°      |      |  |
| 8430-9340S | 340         | 130°      |      |  |
| 8430-9360S | 360         | 130°      |      |  |
| 8430-9380S | 380         | 130°      |      |  |
| 8430-9400S | 400         | 130°      |      |  |
| 8430-9420S | 420         | 130°      |      |  |
| 8430-9440S | 440         | 130°      |      |  |
| 8430-9460S | 460         | 130°      |      |  |
| 8430-9480S | 480         | 130°      |      |  |

# Inventory Control Sheet Gamma4 Nail

## Nail Kits (cont.)



### Ø10mm Long Nail (Left)


|            | Length (mm) | CCD Angle | Qty.                 |       |
|------------|-------------|-----------|----------------------|-------|
| 8520-0240S | 240         | 120°      | <input type="text"/> | _____ |
| 8520-0260S | 260         | 120°      | <input type="text"/> | _____ |
| 8520-0280S | 280         | 120°      | <input type="text"/> | _____ |
| 8520-0300S | 300         | 120°      | <input type="text"/> | _____ |
| 8520-0320S | 320         | 120°      | <input type="text"/> | _____ |
| 8520-0340S | 340         | 120°      | <input type="text"/> | _____ |
| 8520-0360S | 360         | 120°      | <input type="text"/> | _____ |
| 8520-0380S | 380         | 120°      | <input type="text"/> | _____ |
| 8520-0400S | 400         | 120°      | <input type="text"/> | _____ |
| 8520-0420S | 420         | 120°      | <input type="text"/> | _____ |
| 8520-0440S | 440         | 120°      | <input type="text"/> | _____ |
| 8520-0460S | 460         | 120°      | <input type="text"/> | _____ |
| 8520-0480S | 480         | 120°      | <input type="text"/> | _____ |
| 8525-0240S | 240         | 125°      | <input type="text"/> | _____ |
| 8525-0260S | 260         | 125°      | <input type="text"/> | _____ |
| 8525-0280S | 280         | 125°      | <input type="text"/> | _____ |
| 8525-0300S | 300         | 125°      | <input type="text"/> | _____ |
| 8525-0320S | 320         | 125°      | <input type="text"/> | _____ |
| 8525-0340S | 340         | 125°      | <input type="text"/> | _____ |
| 8525-0360S | 360         | 125°      | <input type="text"/> | _____ |
| 8525-0380S | 380         | 125°      | <input type="text"/> | _____ |
| 8525-0400S | 400         | 125°      | <input type="text"/> | _____ |
| 8525-0420S | 420         | 125°      | <input type="text"/> | _____ |
| 8525-0440S | 440         | 125°      | <input type="text"/> | _____ |
| 8525-0460S | 460         | 125°      | <input type="text"/> | _____ |
| 8525-0480S | 480         | 125°      | <input type="text"/> | _____ |
| 8530-0240S | 240         | 130°      | <input type="text"/> | _____ |
| 8530-0260S | 260         | 130°      | <input type="text"/> | _____ |
| 8530-0280S | 280         | 130°      | <input type="text"/> | _____ |
| 8530-0300S | 300         | 130°      | <input type="text"/> | _____ |
| 8530-0320S | 320         | 130°      | <input type="text"/> | _____ |
| 8530-0340S | 340         | 130°      | <input type="text"/> | _____ |
| 8530-0360S | 360         | 130°      | <input type="text"/> | _____ |
| 8530-0380S | 380         | 130°      | <input type="text"/> | _____ |
| 8530-0400S | 400         | 130°      | <input type="text"/> | _____ |
| 8530-0420S | 420         | 130°      | <input type="text"/> | _____ |
| 8530-0440S | 440         | 130°      | <input type="text"/> | _____ |
| 8530-0460S | 460         | 130°      | <input type="text"/> | _____ |
| 8530-0480S | 480         | 130°      | <input type="text"/> | _____ |

### Ø10mm Long Nail (Right)

|            | Length (mm) | CCD Angle | Qty.                 |       |
|------------|-------------|-----------|----------------------|-------|
| 8420-0240S | 240         | 120°      | <input type="text"/> | _____ |
| 8420-0260S | 260         | 120°      | <input type="text"/> | _____ |
| 8420-0280S | 280         | 120°      | <input type="text"/> | _____ |
| 8420-0300S | 300         | 120°      | <input type="text"/> | _____ |
| 8420-0320S | 320         | 120°      | <input type="text"/> | _____ |
| 8420-0340S | 340         | 120°      | <input type="text"/> | _____ |
| 8420-0360S | 360         | 120°      | <input type="text"/> | _____ |
| 8420-0380S | 380         | 120°      | <input type="text"/> | _____ |
| 8420-0400S | 400         | 120°      | <input type="text"/> | _____ |
| 8420-0420S | 420         | 120°      | <input type="text"/> | _____ |
| 8420-0440S | 440         | 120°      | <input type="text"/> | _____ |
| 8420-0460S | 460         | 120°      | <input type="text"/> | _____ |
| 8420-0480S | 480         | 120°      | <input type="text"/> | _____ |
| 8425-0240S | 240         | 125°      | <input type="text"/> | _____ |
| 8425-0260S | 260         | 125°      | <input type="text"/> | _____ |
| 8425-0280S | 280         | 125°      | <input type="text"/> | _____ |
| 8425-0300S | 300         | 125°      | <input type="text"/> | _____ |
| 8425-0320S | 320         | 125°      | <input type="text"/> | _____ |
| 8425-0340S | 340         | 125°      | <input type="text"/> | _____ |
| 8425-0360S | 360         | 125°      | <input type="text"/> | _____ |
| 8425-0380S | 380         | 125°      | <input type="text"/> | _____ |
| 8425-0400S | 400         | 125°      | <input type="text"/> | _____ |
| 8425-0420S | 420         | 125°      | <input type="text"/> | _____ |
| 8425-0440S | 440         | 125°      | <input type="text"/> | _____ |
| 8425-0460S | 460         | 125°      | <input type="text"/> | _____ |
| 8425-0480S | 480         | 125°      | <input type="text"/> | _____ |
| 8430-0240S | 240         | 130°      | <input type="text"/> | _____ |
| 8430-0260S | 260         | 130°      | <input type="text"/> | _____ |
| 8430-0280S | 280         | 130°      | <input type="text"/> | _____ |
| 8430-0300S | 300         | 130°      | <input type="text"/> | _____ |
| 8430-0320S | 320         | 130°      | <input type="text"/> | _____ |
| 8430-0340S | 340         | 130°      | <input type="text"/> | _____ |
| 8430-0360S | 360         | 130°      | <input type="text"/> | _____ |
| 8430-0380S | 380         | 130°      | <input type="text"/> | _____ |
| 8430-0400S | 400         | 130°      | <input type="text"/> | _____ |
| 8430-0420S | 420         | 130°      | <input type="text"/> | _____ |
| 8430-0440S | 440         | 130°      | <input type="text"/> | _____ |
| 8430-0460S | 460         | 130°      | <input type="text"/> | _____ |
| 8430-0480S | 480         | 130°      | <input type="text"/> | _____ |

# Inventory Control Sheet Gamma4 Nail

## Nail Kits (cont.)



### Ø11mm Long Nail (Left)


|            | Length (mm) | CCD Angle | Qty. |
|------------|-------------|-----------|------|
| 8520-1240S | 240         | 120°      |      |
| 8520-1260S | 260         | 120°      |      |
| 8520-1280S | 280         | 120°      |      |
| 8520-1300S | 300         | 120°      |      |
| 8520-1320S | 320         | 120°      |      |
| 8520-1340S | 340         | 120°      |      |
| 8520-1360S | 360         | 120°      |      |
| 8520-1380S | 380         | 120°      |      |
| 8520-1400S | 400         | 120°      |      |
| 8520-1420S | 420         | 120°      |      |
| 8520-1440S | 440         | 120°      |      |
| 8520-1460S | 460         | 120°      |      |
| 8520-1480S | 480         | 120°      |      |
| 8525-1240S | 240         | 125°      |      |
| 8525-1260S | 260         | 125°      |      |
| 8525-1280S | 280         | 125°      |      |
| 8525-1300S | 300         | 125°      |      |
| 8525-1320S | 320         | 125°      |      |
| 8525-1340S | 340         | 125°      |      |
| 8525-1360S | 360         | 125°      |      |
| 8525-1380S | 380         | 125°      |      |
| 8525-1400S | 400         | 125°      |      |
| 8525-1420S | 420         | 125°      |      |
| 8525-1440S | 440         | 125°      |      |
| 8525-1460S | 460         | 125°      |      |
| 8525-1480S | 480         | 125°      |      |
| 8530-1240S | 240         | 130°      |      |
| 8530-1260S | 260         | 130°      |      |
| 8530-1280S | 280         | 130°      |      |
| 8530-1300S | 300         | 130°      |      |
| 8530-1320S | 320         | 130°      |      |
| 8530-1340S | 340         | 130°      |      |
| 8530-1360S | 360         | 130°      |      |
| 8530-1380S | 380         | 130°      |      |
| 8530-1400S | 400         | 130°      |      |
| 8530-1420S | 420         | 130°      |      |
| 8530-1440S | 440         | 130°      |      |
| 8530-1460S | 460         | 130°      |      |
| 8530-1480S | 480         | 130°      |      |

### Ø11mm Long Nail (Right)

|            | Length (mm) | CCD Angle | Qty. |
|------------|-------------|-----------|------|
| 8420-1240S | 240         | 120°      |      |
| 8420-1260S | 260         | 120°      |      |
| 8420-1280S | 280         | 120°      |      |
| 8420-1300S | 300         | 120°      |      |
| 8420-1320S | 320         | 120°      |      |
| 8420-1340S | 340         | 120°      |      |
| 8420-1360S | 360         | 120°      |      |
| 8420-1380S | 380         | 120°      |      |
| 8420-1400S | 400         | 120°      |      |
| 8420-1420S | 420         | 120°      |      |
| 8420-1440S | 440         | 120°      |      |
| 8420-1460S | 460         | 120°      |      |
| 8420-1480S | 480         | 120°      |      |
| 8425-1240S | 240         | 125°      |      |
| 8425-1260S | 260         | 125°      |      |
| 8425-1280S | 280         | 125°      |      |
| 8425-1300S | 300         | 125°      |      |
| 8425-1320S | 320         | 125°      |      |
| 8425-1340S | 340         | 125°      |      |
| 8425-1360S | 360         | 125°      |      |
| 8425-1380S | 380         | 125°      |      |
| 8425-1400S | 400         | 125°      |      |
| 8425-1420S | 420         | 125°      |      |
| 8425-1440S | 440         | 125°      |      |
| 8425-1460S | 460         | 125°      |      |
| 8425-1480S | 480         | 125°      |      |
| 8430-1240S | 240         | 130°      |      |
| 8430-1260S | 260         | 130°      |      |
| 8430-1280S | 280         | 130°      |      |
| 8430-1300S | 300         | 130°      |      |
| 8430-1320S | 320         | 130°      |      |
| 8430-1340S | 340         | 130°      |      |
| 8430-1360S | 360         | 130°      |      |
| 8430-1380S | 380         | 130°      |      |
| 8430-1400S | 400         | 130°      |      |
| 8430-1420S | 420         | 130°      |      |
| 8430-1440S | 440         | 130°      |      |
| 8430-1460S | 460         | 130°      |      |
| 8430-1480S | 480         | 130°      |      |

# Inventory Control Sheet Gamma4 Nail

## Nail Kits (cont.)



### Ø12mm Long Nail (Left)


|            | Length (mm) | CCD Angle | Qty.                 |       |
|------------|-------------|-----------|----------------------|-------|
| 8520-2240S | 240         | 120°      | <input type="text"/> | _____ |
| 8520-2260S | 260         | 120°      | <input type="text"/> | _____ |
| 8520-2280S | 280         | 120°      | <input type="text"/> | _____ |
| 8520-2300S | 300         | 120°      | <input type="text"/> | _____ |
| 8520-2320S | 320         | 120°      | <input type="text"/> | _____ |
| 8520-2340S | 340         | 120°      | <input type="text"/> | _____ |
| 8520-2360S | 360         | 120°      | <input type="text"/> | _____ |
| 8520-2380S | 380         | 120°      | <input type="text"/> | _____ |
| 8520-2400S | 400         | 120°      | <input type="text"/> | _____ |
| 8520-2420S | 420         | 120°      | <input type="text"/> | _____ |
| 8520-2440S | 440         | 120°      | <input type="text"/> | _____ |
| 8520-2460S | 460         | 120°      | <input type="text"/> | _____ |
| 8520-2480S | 480         | 120°      | <input type="text"/> | _____ |
| 8525-2240S | 240         | 125°      | <input type="text"/> | _____ |
| 8525-2260S | 260         | 125°      | <input type="text"/> | _____ |
| 8525-2280S | 280         | 125°      | <input type="text"/> | _____ |
| 8525-2300S | 300         | 125°      | <input type="text"/> | _____ |
| 8525-2320S | 320         | 125°      | <input type="text"/> | _____ |
| 8525-2340S | 340         | 125°      | <input type="text"/> | _____ |
| 8525-2360S | 360         | 125°      | <input type="text"/> | _____ |
| 8525-2380S | 380         | 125°      | <input type="text"/> | _____ |
| 8525-2400S | 400         | 125°      | <input type="text"/> | _____ |
| 8525-2420S | 420         | 125°      | <input type="text"/> | _____ |
| 8525-2440S | 440         | 125°      | <input type="text"/> | _____ |
| 8525-2460S | 460         | 125°      | <input type="text"/> | _____ |
| 8525-2480S | 480         | 125°      | <input type="text"/> | _____ |
| 8530-2240S | 240         | 130°      | <input type="text"/> | _____ |
| 8530-2260S | 260         | 130°      | <input type="text"/> | _____ |
| 8530-2280S | 280         | 130°      | <input type="text"/> | _____ |
| 8530-2300S | 300         | 130°      | <input type="text"/> | _____ |
| 8530-2320S | 320         | 130°      | <input type="text"/> | _____ |
| 8530-2340S | 340         | 130°      | <input type="text"/> | _____ |
| 8530-2360S | 360         | 130°      | <input type="text"/> | _____ |
| 8530-2380S | 380         | 130°      | <input type="text"/> | _____ |
| 8530-2400S | 400         | 130°      | <input type="text"/> | _____ |
| 8530-2420S | 420         | 130°      | <input type="text"/> | _____ |
| 8530-2440S | 440         | 130°      | <input type="text"/> | _____ |
| 8530-2460S | 460         | 130°      | <input type="text"/> | _____ |
| 8530-2480S | 480         | 130°      | <input type="text"/> | _____ |

### Ø12mm Long Nail (Right)

|            | Length (mm) | CCD Angle | Qty.                 |       |
|------------|-------------|-----------|----------------------|-------|
| 8420-2240S | 240         | 120°      | <input type="text"/> | _____ |
| 8420-2260S | 260         | 120°      | <input type="text"/> | _____ |
| 8420-2280S | 280         | 120°      | <input type="text"/> | _____ |
| 8420-2300S | 300         | 120°      | <input type="text"/> | _____ |
| 8420-2320S | 320         | 120°      | <input type="text"/> | _____ |
| 8420-2340S | 340         | 120°      | <input type="text"/> | _____ |
| 8420-2360S | 360         | 120°      | <input type="text"/> | _____ |
| 8420-2380S | 380         | 120°      | <input type="text"/> | _____ |
| 8420-2400S | 400         | 120°      | <input type="text"/> | _____ |
| 8420-2420S | 420         | 120°      | <input type="text"/> | _____ |
| 8420-2440S | 440         | 120°      | <input type="text"/> | _____ |
| 8420-2460S | 460         | 120°      | <input type="text"/> | _____ |
| 8420-2480S | 480         | 120°      | <input type="text"/> | _____ |
| 8425-2240S | 240         | 125°      | <input type="text"/> | _____ |
| 8425-2260S | 260         | 125°      | <input type="text"/> | _____ |
| 8425-2280S | 280         | 125°      | <input type="text"/> | _____ |
| 8425-2300S | 300         | 125°      | <input type="text"/> | _____ |
| 8425-2320S | 320         | 125°      | <input type="text"/> | _____ |
| 8425-2340S | 340         | 125°      | <input type="text"/> | _____ |
| 8425-2360S | 360         | 125°      | <input type="text"/> | _____ |
| 8425-2380S | 380         | 125°      | <input type="text"/> | _____ |
| 8425-2400S | 400         | 125°      | <input type="text"/> | _____ |
| 8425-2420S | 420         | 125°      | <input type="text"/> | _____ |
| 8425-2440S | 440         | 125°      | <input type="text"/> | _____ |
| 8425-2460S | 460         | 125°      | <input type="text"/> | _____ |
| 8425-2480S | 480         | 125°      | <input type="text"/> | _____ |
| 8430-2240S | 240         | 130°      | <input type="text"/> | _____ |
| 8430-2260S | 260         | 130°      | <input type="text"/> | _____ |
| 8430-2280S | 280         | 130°      | <input type="text"/> | _____ |
| 8430-2300S | 300         | 130°      | <input type="text"/> | _____ |
| 8430-2320S | 320         | 130°      | <input type="text"/> | _____ |
| 8430-2340S | 340         | 130°      | <input type="text"/> | _____ |
| 8430-2360S | 360         | 130°      | <input type="text"/> | _____ |
| 8430-2380S | 380         | 130°      | <input type="text"/> | _____ |
| 8430-2400S | 400         | 130°      | <input type="text"/> | _____ |
| 8430-2420S | 420         | 130°      | <input type="text"/> | _____ |
| 8430-2440S | 440         | 130°      | <input type="text"/> | _____ |
| 8430-2460S | 460         | 130°      | <input type="text"/> | _____ |
| 8430-2480S | 480         | 130°      | <input type="text"/> | _____ |

# Inventory Control Sheet Gamma4 Nail

## Nail Kits (cont.)



### Ø13mm Long Nail (Left)

|            | Length (mm) | CCD Angle | Qty.                 |
|------------|-------------|-----------|----------------------|
| 8520-3240S | 240         | 120°      | <input type="text"/> |
| 8520-3260S | 260         | 120°      | <input type="text"/> |
| 8520-3280S | 280         | 120°      | <input type="text"/> |
| 8520-3300S | 300         | 120°      | <input type="text"/> |
| 8520-3320S | 320         | 120°      | <input type="text"/> |
| 8520-3340S | 340         | 120°      | <input type="text"/> |
| 8520-3360S | 360         | 120°      | <input type="text"/> |
| 8520-3380S | 380         | 120°      | <input type="text"/> |
| 8520-3400S | 400         | 120°      | <input type="text"/> |
| 8520-3420S | 420         | 120°      | <input type="text"/> |
| 8520-3440S | 440         | 120°      | <input type="text"/> |
| 8520-3460S | 460         | 120°      | <input type="text"/> |
| 8520-3480S | 480         | 120°      | <input type="text"/> |
| 8525-3240S | 240         | 125°      | <input type="text"/> |
| 8525-3260S | 260         | 125°      | <input type="text"/> |
| 8525-3280S | 280         | 125°      | <input type="text"/> |
| 8525-3300S | 300         | 125°      | <input type="text"/> |
| 8525-3320S | 320         | 125°      | <input type="text"/> |
| 8525-3340S | 340         | 125°      | <input type="text"/> |
| 8525-3360S | 360         | 125°      | <input type="text"/> |
| 8525-3380S | 380         | 125°      | <input type="text"/> |
| 8525-3400S | 400         | 125°      | <input type="text"/> |
| 8525-3420S | 420         | 125°      | <input type="text"/> |
| 8525-3440S | 440         | 125°      | <input type="text"/> |
| 8525-3460S | 460         | 125°      | <input type="text"/> |
| 8525-3480S | 480         | 125°      | <input type="text"/> |
| 8530-3240S | 240         | 130°      | <input type="text"/> |
| 8530-3260S | 260         | 130°      | <input type="text"/> |
| 8530-3280S | 280         | 130°      | <input type="text"/> |
| 8530-3300S | 300         | 130°      | <input type="text"/> |
| 8530-3320S | 320         | 130°      | <input type="text"/> |
| 8530-3340S | 340         | 130°      | <input type="text"/> |
| 8530-3360S | 360         | 130°      | <input type="text"/> |
| 8530-3380S | 380         | 130°      | <input type="text"/> |
| 8530-3400S | 400         | 130°      | <input type="text"/> |
| 8530-3420S | 420         | 130°      | <input type="text"/> |
| 8530-3440S | 440         | 130°      | <input type="text"/> |
| 8530-3460S | 460         | 130°      | <input type="text"/> |
| 8530-3480S | 480         | 130°      | <input type="text"/> |

### Ø13mm Long Nail (Right)

|            | Length (mm) | CCD Angle | Qty.                 |
|------------|-------------|-----------|----------------------|
| 8420-3240S | 240         | 120°      | <input type="text"/> |
| 8420-3260S | 260         | 120°      | <input type="text"/> |
| 8420-3280S | 280         | 120°      | <input type="text"/> |
| 8420-3300S | 300         | 120°      | <input type="text"/> |
| 8420-3320S | 320         | 120°      | <input type="text"/> |
| 8420-3340S | 340         | 120°      | <input type="text"/> |
| 8420-3360S | 360         | 120°      | <input type="text"/> |
| 8420-3380S | 380         | 120°      | <input type="text"/> |
| 8420-3400S | 400         | 120°      | <input type="text"/> |
| 8420-3420S | 420         | 120°      | <input type="text"/> |
| 8420-3440S | 440         | 120°      | <input type="text"/> |
| 8420-3460S | 460         | 120°      | <input type="text"/> |
| 8420-3480S | 480         | 120°      | <input type="text"/> |
| 8425-3240S | 240         | 125°      | <input type="text"/> |
| 8425-3260S | 260         | 125°      | <input type="text"/> |
| 8425-3280S | 280         | 125°      | <input type="text"/> |
| 8425-3300S | 300         | 125°      | <input type="text"/> |
| 8425-3320S | 320         | 125°      | <input type="text"/> |
| 8425-3340S | 340         | 125°      | <input type="text"/> |
| 8425-3360S | 360         | 125°      | <input type="text"/> |
| 8425-3380S | 380         | 125°      | <input type="text"/> |
| 8425-3400S | 400         | 125°      | <input type="text"/> |
| 8425-3420S | 420         | 125°      | <input type="text"/> |
| 8425-3440S | 440         | 125°      | <input type="text"/> |
| 8425-3460S | 460         | 125°      | <input type="text"/> |
| 8425-3480S | 480         | 125°      | <input type="text"/> |
| 8430-3240S | 240         | 130°      | <input type="text"/> |
| 8430-3260S | 260         | 130°      | <input type="text"/> |
| 8430-3280S | 280         | 130°      | <input type="text"/> |
| 8430-3300S | 300         | 130°      | <input type="text"/> |
| 8430-3320S | 320         | 130°      | <input type="text"/> |
| 8430-3340S | 340         | 130°      | <input type="text"/> |
| 8430-3360S | 360         | 130°      | <input type="text"/> |
| 8430-3380S | 380         | 130°      | <input type="text"/> |
| 8430-3400S | 400         | 130°      | <input type="text"/> |
| 8430-3420S | 420         | 130°      | <input type="text"/> |
| 8430-3440S | 440         | 130°      | <input type="text"/> |
| 8430-3460S | 460         | 130°      | <input type="text"/> |
| 8430-3480S | 480         | 130°      | <input type="text"/> |

# Inventory Control Sheet Gamma4 Nail

## Nail Kits (cont.)



Ø15mm Long Nail (Left)

|            | Length (mm) | CCD Angle | Qty.                 |       |
|------------|-------------|-----------|----------------------|-------|
| 8520-5240S | 240         | 120°      | <input type="text"/> | _____ |
| 8520-5260S | 260         | 120°      | <input type="text"/> | _____ |
| 8520-5280S | 280         | 120°      | <input type="text"/> | _____ |
| 8520-5300S | 300         | 120°      | <input type="text"/> | _____ |
| 8520-5320S | 320         | 120°      | <input type="text"/> | _____ |
| 8520-5340S | 340         | 120°      | <input type="text"/> | _____ |
| 8520-5360S | 360         | 120°      | <input type="text"/> | _____ |
| 8520-5380S | 380         | 120°      | <input type="text"/> | _____ |
| 8520-5400S | 400         | 120°      | <input type="text"/> | _____ |
| 8520-5420S | 420         | 120°      | <input type="text"/> | _____ |
| 8520-5440S | 440         | 120°      | <input type="text"/> | _____ |
| 8520-5460S | 460         | 120°      | <input type="text"/> | _____ |
| 8520-5480S | 480         | 120°      | <input type="text"/> | _____ |
| 8525-5240S | 240         | 125°      | <input type="text"/> | _____ |
| 8525-5260S | 260         | 125°      | <input type="text"/> | _____ |
| 8525-5280S | 280         | 125°      | <input type="text"/> | _____ |
| 8525-5300S | 300         | 125°      | <input type="text"/> | _____ |
| 8525-5320S | 320         | 125°      | <input type="text"/> | _____ |
| 8525-5340S | 340         | 125°      | <input type="text"/> | _____ |
| 8525-5360S | 360         | 125°      | <input type="text"/> | _____ |
| 8525-5380S | 380         | 125°      | <input type="text"/> | _____ |
| 8525-5400S | 400         | 125°      | <input type="text"/> | _____ |
| 8525-5420S | 420         | 125°      | <input type="text"/> | _____ |
| 8525-5440S | 440         | 125°      | <input type="text"/> | _____ |
| 8525-5460S | 460         | 125°      | <input type="text"/> | _____ |
| 8525-5480S | 480         | 125°      | <input type="text"/> | _____ |
| 8530-5240S | 240         | 130°      | <input type="text"/> | _____ |
| 8530-5260S | 260         | 130°      | <input type="text"/> | _____ |
| 8530-5280S | 280         | 130°      | <input type="text"/> | _____ |
| 8530-5300S | 300         | 130°      | <input type="text"/> | _____ |
| 8530-5320S | 320         | 130°      | <input type="text"/> | _____ |
| 8530-5340S | 340         | 130°      | <input type="text"/> | _____ |
| 8530-5360S | 360         | 130°      | <input type="text"/> | _____ |
| 8530-5380S | 380         | 130°      | <input type="text"/> | _____ |
| 8530-5400S | 400         | 130°      | <input type="text"/> | _____ |
| 8530-5420S | 420         | 130°      | <input type="text"/> | _____ |
| 8530-5440S | 440         | 130°      | <input type="text"/> | _____ |
| 8530-5460S | 460         | 130°      | <input type="text"/> | _____ |
| 8530-5480S | 480         | 130°      | <input type="text"/> | _____ |

Ø15mm Long Nail (Right)

|            | Length (mm) | CCD Angle | Qty.                 |       |
|------------|-------------|-----------|----------------------|-------|
| 8420-5240S | 240         | 120°      | <input type="text"/> | _____ |
| 8420-5260S | 260         | 120°      | <input type="text"/> | _____ |
| 8420-5280S | 280         | 120°      | <input type="text"/> | _____ |
| 8420-5300S | 300         | 120°      | <input type="text"/> | _____ |
| 8420-5320S | 320         | 120°      | <input type="text"/> | _____ |
| 8420-5340S | 340         | 120°      | <input type="text"/> | _____ |
| 8420-5360S | 360         | 120°      | <input type="text"/> | _____ |
| 8420-5380S | 380         | 120°      | <input type="text"/> | _____ |
| 8420-5400S | 400         | 120°      | <input type="text"/> | _____ |
| 8420-5420S | 420         | 120°      | <input type="text"/> | _____ |
| 8420-5440S | 440         | 120°      | <input type="text"/> | _____ |
| 8420-5460S | 460         | 120°      | <input type="text"/> | _____ |
| 8420-5480S | 480         | 120°      | <input type="text"/> | _____ |
| 8425-5240S | 240         | 125°      | <input type="text"/> | _____ |
| 8425-5260S | 260         | 125°      | <input type="text"/> | _____ |
| 8425-5280S | 280         | 125°      | <input type="text"/> | _____ |
| 8425-5300S | 300         | 125°      | <input type="text"/> | _____ |
| 8425-5320S | 320         | 125°      | <input type="text"/> | _____ |
| 8425-5340S | 340         | 125°      | <input type="text"/> | _____ |
| 8425-5360S | 360         | 125°      | <input type="text"/> | _____ |
| 8425-5380S | 380         | 125°      | <input type="text"/> | _____ |
| 8425-5400S | 400         | 125°      | <input type="text"/> | _____ |
| 8425-5420S | 420         | 125°      | <input type="text"/> | _____ |
| 8425-5440S | 440         | 125°      | <input type="text"/> | _____ |
| 8425-5460S | 460         | 125°      | <input type="text"/> | _____ |
| 8425-5480S | 480         | 125°      | <input type="text"/> | _____ |
| 8430-5240S | 240         | 130°      | <input type="text"/> | _____ |
| 8430-5260S | 260         | 130°      | <input type="text"/> | _____ |
| 8430-5280S | 280         | 130°      | <input type="text"/> | _____ |
| 8430-5300S | 300         | 130°      | <input type="text"/> | _____ |
| 8430-5320S | 320         | 130°      | <input type="text"/> | _____ |
| 8430-5340S | 340         | 130°      | <input type="text"/> | _____ |
| 8430-5360S | 360         | 130°      | <input type="text"/> | _____ |
| 8430-5380S | 380         | 130°      | <input type="text"/> | _____ |
| 8430-5400S | 400         | 130°      | <input type="text"/> | _____ |
| 8430-5420S | 420         | 130°      | <input type="text"/> | _____ |
| 8430-5440S | 440         | 130°      | <input type="text"/> | _____ |
| 8430-5460S | 460         | 130°      | <input type="text"/> | _____ |
| 8430-5480S | 480         | 130°      | <input type="text"/> | _____ |

# Inventory Control Sheet Gamma4 Nail

## Nail Kits (cont.)

### 240mm Intermediate Nail (Left)

|            | Length (mm) | CCD Angle | Diameter | Qty.                 |       |
|------------|-------------|-----------|----------|----------------------|-------|
| 8320-9240S | 240         | 120°      | Ø9       | <input type="text"/> | _____ |
| 8320-0240S | 240         | 120°      | Ø10      | <input type="text"/> | _____ |
| 8320-1240S | 240         | 120°      | Ø11      | <input type="text"/> | _____ |
| 8320-2240S | 240         | 120°      | Ø12      | <input type="text"/> | _____ |
| 8320-3240S | 240         | 120°      | Ø13      | <input type="text"/> | _____ |
| 8325-9240S | 240         | 125°      | Ø9       | <input type="text"/> | _____ |
| 8325-0240S | 240         | 125°      | Ø10      | <input type="text"/> | _____ |
| 8325-1240S | 240         | 125°      | Ø11      | <input type="text"/> | _____ |
| 8325-2240S | 240         | 125°      | Ø12      | <input type="text"/> | _____ |
| 8325-3240S | 240         | 125°      | Ø13      | <input type="text"/> | _____ |
| 8330-9240S | 240         | 130°      | Ø9       | <input type="text"/> | _____ |
| 8330-0240S | 240         | 130°      | Ø10      | <input type="text"/> | _____ |
| 8330-1240S | 240         | 130°      | Ø11      | <input type="text"/> | _____ |
| 8330-2240S | 240         | 130°      | Ø12      | <input type="text"/> | _____ |
| 8330-3240S | 240         | 130°      | Ø13      | <input type="text"/> | _____ |

### 240mm Intermediate Nail (Right)

|            | Length (mm) | CCD Angle | Diameter | Qty.                 |       |
|------------|-------------|-----------|----------|----------------------|-------|
| 8220-9240S | 240         | 120°      | Ø9       | <input type="text"/> | _____ |
| 8220-0240S | 240         | 120°      | Ø10      | <input type="text"/> | _____ |
| 8220-1240S | 240         | 120°      | Ø11      | <input type="text"/> | _____ |
| 8220-2240S | 240         | 120°      | Ø12      | <input type="text"/> | _____ |
| 8220-3240S | 240         | 120°      | Ø13      | <input type="text"/> | _____ |
| 8225-9240S | 240         | 125°      | Ø9       | <input type="text"/> | _____ |
| 8225-0240S | 240         | 125°      | Ø10      | <input type="text"/> | _____ |
| 8225-1240S | 240         | 125°      | Ø11      | <input type="text"/> | _____ |
| 8225-2240S | 240         | 125°      | Ø12      | <input type="text"/> | _____ |
| 8225-3240S | 240         | 125°      | Ø13      | <input type="text"/> | _____ |
| 8230-9240S | 240         | 130°      | Ø9       | <input type="text"/> | _____ |
| 8230-0240S | 240         | 130°      | Ø10      | <input type="text"/> | _____ |
| 8230-1240S | 240         | 130°      | Ø11      | <input type="text"/> | _____ |
| 8230-2240S | 240         | 130°      | Ø12      | <input type="text"/> | _____ |
| 8230-3240S | 240         | 130°      | Ø13      | <input type="text"/> | _____ |



### Trochanteric Nail 170mm

|            | Diameter (mm) | CCD Angle | Qty.                 |       |
|------------|---------------|-----------|----------------------|-------|
| 8120-9170S | Ø9            | 120°      | <input type="text"/> | _____ |
| 8120-0170S | Ø10           | 120°      | <input type="text"/> | _____ |
| 8120-1170S | Ø11           | 120°      | <input type="text"/> | _____ |
| 8120-2170S | Ø12           | 120°      | <input type="text"/> | _____ |
| 8120-3170S | Ø13           | 120°      | <input type="text"/> | _____ |
| 8125-9170S | Ø9            | 125°      | <input type="text"/> | _____ |
| 8125-0170S | Ø10           | 125°      | <input type="text"/> | _____ |
| 8125-1170S | Ø11           | 125°      | <input type="text"/> | _____ |




|            | Diameter (mm) | CCD Angle | Qty.                 |       |
|------------|---------------|-----------|----------------------|-------|
| 8125-2170S | Ø12           | 125°      | <input type="text"/> | _____ |
| 8125-3170S | Ø13           | 125°      | <input type="text"/> | _____ |
| 8130-9170S | Ø9            | 130°      | <input type="text"/> | _____ |
| 8130-0170S | Ø10           | 130°      | <input type="text"/> | _____ |
| 8130-1170S | Ø11           | 130°      | <input type="text"/> | _____ |
| 8130-2170S | Ø12           | 130°      | <input type="text"/> | _____ |
| 8130-3170S | Ø13           | 130°      | <input type="text"/> | _____ |

## Screws

### RC Lag Screw

|            | Diameter (mm) | Length (mm) | Qty.                 |       |
|------------|---------------|-------------|----------------------|-------|
| 8166-0070S | Ø10.5         | 70mm        | <input type="text"/> | _____ |
| 8166-0075S | Ø10.5         | 75mm        | <input type="text"/> | _____ |
| 8166-0080S | Ø10.5         | 80mm        | <input type="text"/> | _____ |
| 8166-0085S | Ø10.5         | 85mm        | <input type="text"/> | _____ |
| 8166-0090S | Ø10.5         | 90mm        | <input type="text"/> | _____ |
| 8166-0095S | Ø10.5         | 95mm        | <input type="text"/> | _____ |
| 8166-0100S | Ø10.5         | 100mm       | <input type="text"/> | _____ |
| 8166-0105S | Ø10.5         | 105mm       | <input type="text"/> | _____ |
| 8166-0110S | Ø10.5         | 110mm       | <input type="text"/> | _____ |
| 8166-0115S | Ø10.5         | 115mm       | <input type="text"/> | _____ |
| 8166-0120S | Ø10.5         | 120mm       | <input type="text"/> | _____ |
| 8166-0125S | Ø10.5         | 125mm       | <input type="text"/> | _____ |
| 8166-0130S | Ø10.5         | 130mm       | <input type="text"/> | _____ |



### Ø10.5mm Lag Screw

|            | Length (mm) | Qty.                 |       | Length (mm) | Qty. |                      |       |
|------------|-------------|----------------------|-------|-------------|------|----------------------|-------|
| 8160-0070S | 70          | <input type="text"/> | _____ | 8160-0105S  | 105  | <input type="text"/> | _____ |
| 8160-0075S | 75          | <input type="text"/> | _____ | 8160-0110S  | 110  | <input type="text"/> | _____ |
| 8160-0080S | 80          | <input type="text"/> | _____ | 8160-0115S  | 115  | <input type="text"/> | _____ |
| 8160-0085S | 85          | <input type="text"/> | _____ | 8160-0120S  | 120  | <input type="text"/> | _____ |
| 8160-0090S | 90          | <input type="text"/> | _____ | 8160-0125S  | 125  | <input type="text"/> | _____ |
| 8160-0095S | 95          | <input type="text"/> | _____ | 8160-0130S  | 130  | <input type="text"/> | _____ |
| 8160-0100S | 100         | <input type="text"/> | _____ |             |      |                      |       |

# Inventory Control Sheet Gamma4 Nail

## Screws (cont)

Ø5mm Locking Screw




| Length (mm)     | Qty. | Length (mm)    | Qty. |
|-----------------|------|----------------|------|
| 2360-5025S 25   |      | 2360-5060S 60  |      |
| 2360-5027S 27.5 |      | 2360-5065S 65  |      |
| 2360-5030S 30   |      | 2360-5070S 70  |      |
| 2360-5032S 32.5 |      | 2360-5075S 75  |      |
| 2360-5035S 35   |      | 2360-5080S 80  |      |
| 2360-5037S 37.5 |      | 2360-5085S 85  |      |
| 2360-5040S 40   |      | 2360-5090S 90  |      |
| 2360-5042S 42.5 |      | 2360-5095S 95  |      |
| 2360-5045S 45   |      | 2360-5100S 100 |      |
| 2360-5047S 47.5 |      | 2360-5105S 105 |      |
| 2360-5050S 50   |      | 2360-5110S 110 |      |
| 2360-5052S 52.5 |      | 2360-5115S 115 |      |
| 2360-5055S 55   |      | 2360-5120S 120 |      |
| 2360-5057S 57.5 |      |                |      |

Ø5mm Advanced Locking Screw



| Length (mm)     | Qty. | Length (mm)     | Qty. |
|-----------------|------|-----------------|------|
| 2361-5030S 30   |      | 2361-5057S 57.5 |      |
| 2361-5032S 32.5 |      | 2361-5060S 60   |      |
| 2361-5035S 35   |      | 2361-5065S 65   |      |
| 2361-5037S 37.5 |      | 2361-5070S 70   |      |
| 2361-5040S 40   |      | 2361-5075S 75   |      |
| 2361-5042S 42.5 |      | 2361-5080S 80   |      |
| 2361-5045S 45   |      | 2361-5085S 85   |      |
| 2361-5047S 47.5 |      | 2361-5090S 90   |      |
| 2361-5050S 50   |      | 2361-5095S 95   |      |
| 2361-5052S 52.5 |      | 2361-5100S 100  |      |
| 2361-5055S 55   |      |                 |      |

## End Cap



| Type                | Diameter (mm) | Length (mm) | Qty. |
|---------------------|---------------|-------------|------|
| 8004-0000S Standard | 10.95         | 0           |      |
| 8004-0005S +5mm     | 15.5          | 5           |      |
| 8004-0010S +10mm    | 15.5          | 10          |      |
| 8004-0015S +15mm    | 15.5          | 15          |      |

## Disposables

| Description  | Qty. |
|--|------|
| 1420-0060S Precision Pin™, Ø3.9 × 450mm              |      |
| 1420-0065S Precision Pin™, tapered Ø3.2/3.9 × 450mm  |      |
| 2351-4236S Locking Drill, Ø4.2 × 360mm               |      |
| 2351-4218S Freehand Drill, Ø4.2 × 180mm              |      |
| 2351-5500S Counterbore Drill, Short, Ø5.5 × 185mm    |      |
| 2351-5510S Counterbore Drill, Long, Ø5.5 × 255mm     |      |
| 2351-5515S Counterbore Drill, Manual, Ø5.5 × 280mm   |      |
| 2351-0390S Locking Scalpel                           |      |
| 2351-3080S Guide Wire with Ruler Tube, Ø3 × 800mm    |      |
| 2351-3082S Guide Wire, Ø3 × 800mm                    |      |
| 2351-3100S Guide Wire with Ruler Tube, Ø3 × 1000mm   |      |
| 2351-3102S Guide Wire, Ø3 × 1000mm                   |      |
| 0225-7426S Bixcut-CF, Ø6.6 × 426mm, Large AO         |      |
| 0225-7488S Bixcut-CF, Ø6.6 × 488mm, Large AO         |      |
| 0225-7560S Bixcut-CF, Ø6.6 × 560mm, Large AO         |      |
| 0227-7426S Bixcut-CF, Ø6.6 × 426mm, Modified Trinkle |      |
| 0227-7488S Bixcut-CF, Ø6.6 × 488mm, Modified Trinkle |      |
| 0227-7560S Bixcut-CF, Ø6.6 × 560mm, Modified Trinkle |      |
| 1210-6451S K-wire, Ø3.2mm × 450mm                    |      |

A surgeon must always rely on his or her own professional clinical judgment when deciding whether to use a particular product when treating a particular patient. Stryker does not dispense medical advice and recommends that surgeons be trained in the use of any particular product before using it in surgery.

The information presented is intended to demonstrate the breadth of Stryker product offerings. A surgeon must always refer to the package insert, product label and/or instructions for use before using any Stryker product. Products may not be available in all markets because product availability is subject to the regulatory and/or medical practices in individual markets.

Please contact your Stryker representative if you have questions about the availability of Stryker products in your area.

Stryker Corporation or its divisions or other corporate affiliated entities own, use or have applied for the following trademarks or service marks: Gamma4, Stryker. All other trademarks are trademarks of their respective owners or holders.

325 Corporate Drive  
Mahwah, NJ 07430  
t: 201 831 5000

stryker.com

Hospital Signature