

Inventory Control Sheet

T2 Alpha Tibia Nail

Hospital _____ Surgeon _____

Sales Rep _____ Covered by _____

P.O.# _____ Received by _____

Ship Via _____ Ship To _____ Replenish To _____

Inv. Source Hosp. Owned Hosp. Consigned Loaner Other _____

Surgery Date _____

Patient Information

Billing Type Bill Only Ship Only Ship & Bill Other _____

Implants



Tibia Nail

Ref #	Diameter (mm)	Length (mm)	Qty.
2341-0824S	8	240	
2341-0825S	8	255	
2341-0827S	8	270	
2341-0828S	8	285	
2341-0830S	8	300	
2341-0831S	8	315	
2341-0833S	8	330	
2341-0834S	8	345	
2341-0836S	8	360	
2341-0837S	8	375	
2341-0839S	8	390	
2341-0840S	8	405	
2341-0842S	8	420	
2341-0924S	9	240	
2341-0925S	9	255	
2341-0927S	9	270	
2341-0928S	9	285	
2341-0930S	9	300	
2341-0931S	9	315	
2341-0933S	9	330	
2341-0934S	9	345	
2341-0936S	9	360	
2341-0937S	9	375	
2341-0939S	9	390	
2341-0940S	9	405	
2341-0942S	9	420	
2341-1024S	10	240	
2341-1025S	10	255	
2341-1027S	10	270	
2341-1028S	10	285	
2341-1030S	10	300	
2341-1031S	10	315	
2341-1033S	10	330	
2341-1034S	10	345	
2341-1036S	10	360	
2341-1037S	10	375	
2341-1039S	10	390	
2341-1040S	10	405	
2341-1042S	10	420	
2341-1124S	11	240	
2341-1125S	11	255	
2341-1127S	11	270	
2341-1128S	11	285	
2341-1130S	11	300	
2341-1131S	11	315	
2341-1133S	11	330	
2341-1134S	11	345	
2341-1136S	11	360	
2341-1137S	11	375	
2341-1139S	11	390	
2341-1140S	11	405	
2341-1142S	11	420	

Tibia Nail (continued)

Ref #	Diameter (mm)	Length (mm)	Qty.
2341-1224S	12	240	
2341-1225S	12	255	
2341-1227S	12	270	
2341-1228S	12	285	
2341-1230S	12	300	
2341-1231S	12	315	
2341-1233S	12	330	
2341-1234S	12	345	
2341-1236S	12	360	
2341-1237S	12	375	
2341-1239S	12	390	
2341-1240S	12	405	
2341-1242S	12	420	
2341-1324S	13	240	
2341-1325S	13	255	
2341-1327S	13	420	
2341-1328S	13	285	
2341-1330S	13	300	
2341-1331S	13	315	
2341-1333S	13	330	
2341-1334S	13	345	
2341-1336S	13	360	
2341-1337S	13	375	
2341-1339S	13	390	
2341-1340S	13	405	
2341-1342S	13	420	
2341-1424S	14	240	
2341-1425S	14	255	
2341-1427S	14	270	
2341-1428S	14	285	
2341-1430S	14	300	
2341-1431S	14	315	
2341-1433S	14	330	
2341-1434S	14	345	
2341-1436S	14	360	
2341-1437S	14	375	
2341-1439S	14	390	
2341-1440S	14	405	
2341-1442S	14	420	
2341-1524S	15	240	
2341-1525S	15	255	
2341-1527S	15	270	
2341-1528S	15	285	
2341-1530S	15	300	
2341-1531S	15	315	
2341-1533S	15	330	
2341-1534S	15	345	
2341-1536S	15	360	
2341-1537S	15	375	
2341-1539S	15	390	
2341-1540S	15	405	
2341-1542S	15	420	

Inventory Control Sheet T2 Alpha Tibia Nail

Screws



5.0mm Fully Threaded Locking Screws, Sterile

Ref #	Diameter (mm)	Length (mm)	Qty.
2360-5030S	5	30	<input type="text"/>
2360-5032S	5	32.5	<input type="text"/>
2360-5035S	5	35	<input type="text"/>
2360-5037S	5	37.5	<input type="text"/>
2360-5040S	5	40	<input type="text"/>
2360-5042S	5	42.5	<input type="text"/>
2360-5045S	5	45	<input type="text"/>
2360-5047S	5	47.5	<input type="text"/>
2360-5050S	5	50	<input type="text"/>
2360-5052S	5	52.5	<input type="text"/>
2360-5055S	5	55	<input type="text"/>
2360-5057S	5	57.5	<input type="text"/>
2360-5060S	5	60	<input type="text"/>
2360-5065S	5	65	<input type="text"/>
2360-5070S	5	70	<input type="text"/>
2360-5075S	5	75	<input type="text"/>
2360-5080S	5	80	<input type="text"/>
2360-5085S	5	85	<input type="text"/>
2360-5090S	5	90	<input type="text"/>
2360-5095S	5	95	<input type="text"/>
2360-5100S	5	100	<input type="text"/>

Advanced Locking Screws



Ref #	Diameter (mm)	Length (mm)	Qty.
2361-5030S	5	30	<input type="text"/>
2361-5032S	5	32.5	<input type="text"/>
2361-5035S	5	35	<input type="text"/>
2361-5037S	5	37.5	<input type="text"/>
2361-5040S	5	40	<input type="text"/>
2361-5042S	5	42.5	<input type="text"/>
2361-5045S	5	45	<input type="text"/>
2361-5047S	5	47.5	<input type="text"/>
2361-5050S	5	50	<input type="text"/>
2361-5052S	5	52.5	<input type="text"/>
2361-5055S	5	55	<input type="text"/>
2361-5057S	5	57.5	<input type="text"/>
2361-5060S	5	60	<input type="text"/>
2361-5065S	5	65	<input type="text"/>
2361-5070S	5	70	<input type="text"/>
2361-5075S	5	75	<input type="text"/>
2361-5080S	5	80	<input type="text"/>
2361-5085S	5	85	<input type="text"/>
2361-5090S	5	90	<input type="text"/>
2361-5095S	5	95	<input type="text"/>
2361-5100S	5	100	<input type="text"/>

4.0mm Fully Threaded Locking Screws, Sterile

Ref #	Diameter (mm)	Length (mm)	Qty.
2360-4020S	4	20	<input type="text"/>
2360-4022S	4	22.5	<input type="text"/>
2360-4025S	4	25	<input type="text"/>
2360-4027S	4	27.5	<input type="text"/>
2360-4030S	4	30	<input type="text"/>
2360-4032S	4	32.5	<input type="text"/>
2360-4035S	4	35	<input type="text"/>
2360-4037S	4	37.5	<input type="text"/>
2360-4040S	4	39	<input type="text"/>
2360-4042S	4	42.5	<input type="text"/>
2360-4045S	4	45	<input type="text"/>
2360-4047S	4	47.5	<input type="text"/>
2360-4050S	4	50	<input type="text"/>
2360-4052S	4	52.5	<input type="text"/>
2360-4055S	4	55	<input type="text"/>
2360-4057S	4	57.5	<input type="text"/>
2360-4060S	4	60	<input type="text"/>

4.0mm Advanced Locking Screws

Ref #	Diameter (mm)	Length (mm)	Qty.
2361-4027S	4	27.5	<input type="text"/>
2361-4030S	4	30	<input type="text"/>
2361-4032S	4	32.5	<input type="text"/>
2361-4035S	4	35	<input type="text"/>
2361-4037S	4	37.5	<input type="text"/>
2361-4040S	4	40	<input type="text"/>
2361-4042S	4	42.5	<input type="text"/>
2361-4045S	4	45	<input type="text"/>
2361-4047S	4	47.5	<input type="text"/>
2361-4050S	4	50	<input type="text"/>
2361-4052S	4	52.5	<input type="text"/>
2361-4055S	4	55	<input type="text"/>
2361-4057S	4	57.5	<input type="text"/>
2361-4060S	4	60	<input type="text"/>

Compression Screw



Ref #	Diameter (mm)	Length (mm)	Qty.
2341-0001S	8	+0	<input type="text"/>

End Caps



Ref #	Diameter (mm)	Length (mm)	Qty.
2341-0005S	11.5	+5	<input type="text"/>
2341-0010S	11.5	+10	<input type="text"/>
2341-0015S	11.5	+15	<input type="text"/>
2341-0020S	11.5	+20	<input type="text"/>
2341-0025S	11.5	+25	<input type="text"/>

Inventory Control Sheet T2 Alpha Tibia Nail

Disposables

Ref #	Description	Qty.
2351-3028S	K-wire, Ø3 x 285mm	_____
2351-4236S	Locking drill, Ø4.2 x 360mm	_____
2351-3536S	Locking drill, Ø3.5 x 360mm	_____
2351-4213S	Freehand drill, Ø4.2 x 130mm	_____
2351-4218S	Freehand drill, Ø4.2 x 185mm	_____
2351-3513S	Freehand drill, Ø3.5 x 130mm	_____
2351-3518S	Freehand drill, Ø3.5 x 185mm	_____
2351-5500	Counterbore Drill, Short, Ø5.5mm x 185mm	_____
2351-4500	Counterbore Drill, Short, Ø4.5mm x 185mm	_____
2351-5510	Counterbore Drill, Long, Ø5.5mm x 255mm	_____
2351-4510	Counterbore Drill, Long, Ø4.5mm x 255mm	_____
2351-5515	Counterbore Drill, Manual, Ø5.5mm x 280mm	_____
2351-4515	Counterbore Drill, Manual, Ø4.5mm x 280mm	_____
1806-1406S	Elastic nail insertion sleeve elastic SPI Ø8-11	_____
1806-1407S	Elastic nail insertion sleeve elastic SPI Ø8-13	_____
1806-1417S	Fixation K-wire SPI Ø3 x 285mm WCH coated	_____
1806-0080S	Ball tip guide wire	_____

A surgeon must always rely on his or her own professional clinical judgment when deciding whether to use a particular product when treating a particular patient. Stryker does not dispense medical advice and recommends that surgeons be trained in the use of any particular product before using it in surgery. The information presented is intended to demonstrate the breadth of Stryker product offerings. A surgeon must always refer to the package insert, product label and/or instructions for use before using any Stryker product. Products may not be available in all markets because product availability is subject to the regulatory and/or medical practices in individual markets. Please contact your Stryker representative if you have questions about the availability of Stryker products in your area.

Stryker Corporation or its divisions or other corporate affiliated entities own, use or have applied for the following trademarks or service marks: Stryker, T2. All other trademarks are trademarks of their respective owners or holders.

Content ID: T2-OOS-3, 04-2020
Copyright © 2020 Stryker

325 Corporate Drive
Mahwah, NJ 07430
t: 201 831 5000
stryker.com

Hospital Signature