

VariAx[®] 2 Mini Fragment

System components



System components – VariAx 2 Mini Fragment



Top level and 4 level tray frame

Ref #	Description
1500-0006	Lower tray, 2 level
940364	Upper tray mini fragment
940374	Mini fragment, top layer clip

T8 and general instruments


Ref #	Description
703921	Handle, medium
703922	Handle insert, AO, ratchet, cannulated
703923	Handle insert, AO, cannulated
703663	Screwdriver blade, AO, T8, self retaining
703927	Joystick for T8 screw holes
703684	Drill guide, 2.0mm drill, compression/polyaxial (T8)
703884	Drill guide, for 2.7mm independent lag screw (T8)
703688	Drill guide, for 2.4mm independent lag screw (T8)
705141	Depth gauge 2.0mm – 2.7mm
705143	Plate bender
705134	Drill bit, AO, Ø2.0mm x 105mm, scaled
705135	K-wire drill bit, Ø2.0mm x 200mm
703897	Overdrill, AO, Ø2.7mm x 122mm
703696	Overdrill, AO, Ø2.4mm x 122mm
706200	Countersink, AO, 2.0mm – 2.7mm
703899	Tap, AO, for 2.7mm Screws
703900	Tap, AO, for 2.4mm Screws
703896	Drill bit, AO Ø2.0mm x 135mm, scaled

System components – VariAx 2 Mini Fragment




Drawer 1 – T8 module

Ref #	Description
1500-0005	Generic drawer
940375	Mini fragment, T8 drawer clip
940366	Screw rack 2.4mm, T8
940367	Screw rack 2.7mm, T8
940371	Plate insert 2.4mm
940372	Plate insert 2.7mm



2.4mm Locking screw T8

Ref #	Length mm	Ref #	Length mm
656006	6	656030	30
656007	7	656032	32
656008	8	656034	34
656009	9	656036	36
656010	10	656038	38
656011	11	656040	40
656012	12	656042	42
656013	13	656044	44
656014	14	656046	46
656015	15	656048	48
656016	16	656050	50
656018	18	656055	55
656020	20	656060	60
656022	22	656065	65
656024	24	656070	70
656026	26	656075S*	75
656028	28	656080S*	80



2.4mm Bone screw T8

Ref #	Length mm	Ref #	Length mm
656106	6	656130	30
656107	7	656132	32
656108	8	656134	34
656109	9	656136	36
656110	10	656138	38
656111	11	656140	40
656112	12	656142	42
656113	13	656144	44
656114	14	656146	46
656115	15	656148	48
656116	16	656150	50
656118	18	656155	55
656120	20	656160	60
656122	22	656165	65
656124	24	656170	70
656126	26	656175S*	75
656128	28	656180S*	80

Remark:

For sterile packaged implant please add 'S' to the ref.

*These items are available sterile packaged only.

Ref #	Description
619920	Washer T8

System components – VariAx 2 Mini Fragment



2.7mm Locking screw T8

Ref #	Length mm	Ref #	Length mm
656306	6	656330	30
656307	7	656332	32
656308	8	656334	34
656309	9	656336	36
656310	10	656338	38
656311	11	656340	40
656312	12	656342	42
656313	13	656344	44
656314	14	656346	46
656315	15	656348	48
656316	16	656350	50
656318	18	656355	55
656320	20	656360	60
656322	22	656365	65
656324	24	656370	70
656326	26	656375S*	75
656328	28	656380S*	80



2.7mm Bone screw T8

Ref #	Length mm	Ref #	Length mm
656406	6	656430	30
656407	7	656432	32
656408	8	656434	34
656409	9	656436	36
656410	10	656438	38
656411	11	656440	40
656412	12	656442	42
656413	13	656444	44
656414	14	656446	46
656415	15	656448	48
656416	16	656450	50
656418	18	656455	55
656420	20	656460	60
656422	22	656465	65
656424	24	656470	70
656426	26	656475S*	75
656428	28	656480S*	80

Ref #	Description
619920	Washer T8























Remark:

For sterile packaged implant please add 'S' to the ref.

*These items are available sterile packaged only.

System components – VariAx 2 Mini Fragment

T8 2.4mm plates

Ref #	Description
 629684	Narrow locking plate 2.4/4 holes, L 28mm
 629686	Narrow locking plate 2.4/6 holes, L 41mm
 629688	Narrow locking plate 2.4/8 holes, L 56mm
 629690	Narrow locking plate 2.4/10 holes, L 69mm
 629700	Narrow locking plate 2.4/20 holes, L 135mm
 629776	Narrow locking T-plate 2.4/2 x 5 holes, L 41mm
 629777	Narrow locking T-plate 2.4/2 x 10 holes, L 76mm
 629778	Narrow locking T-plate 2.4/3 x 5 holes, L 41mm
 629779	Narrow locking T-plate 2.4/3 x 10 holes, L 76mm
 629781	Narrow locking T-plate 2.4/5 x 10 holes, L 76mm
 629790	Narrow locking Y-plate 2.4/10 holes, L 81mm
 629791	Narrow locking triangle plate 2.4/10 holes, L 81mm
 629664	Profile plate 2.4/4 holes, L 26mm
 629666	Profile plate 2.4/6 holes, L 40mm
 629668	Profile plate 2.4/8 holes, L 53mm
 629670	Profile plate 2.4/10 holes, L 66mm
 629680	Profile plate 2.4/20 holes, L 132mm
 629704	Broad locking plate 2.4/4 holes, L 35mm
 629706	Broad locking plate 2.4/6 holes, L 50mm
 629708	Broad locking plate 2.4/8 holes, L 65mm
 629710	Broad locking plate 2.4/10 holes, L 80mm
 629712	Broad locking plate 2.4/12 holes, L 96mm
629714S*	Broad locking plate 2.4 / 14 holes, L 111mm
629716S*	Broad locking plate 2.4 / 16 holes, L 126mm
629718S*	Broad locking plate 2.4 / 18 holes, L 141mm
629720S*	Broad locking plate 2.4 / 20 holes, L 156mm

Remark:

For sterile packaged implant please add 'S' to the ref.

*These items are available sterile packaged only.

System components – VariAx 2 Mini Fragment

T8 2.7mm plates

Ref #	Description
629724	Narrow locking plate 2.7/4 holes, L 32mm
629726	Narrow locking plate 2.7/6 holes, L 47mm
629728	Narrow locking plate 2.7/8 holes, L 64mm
629730	Narrow locking plate 2.7/10 holes, L 79mm
629740	Narrow locking plate 2.7/20 holes, L 155mm
629782	Narrow locking T-plate 2.7/2 x 5 holes, L 47mm
629783	Narrow locking T-plate 2.7/2 x 10 holes, L 87mm
629784	Narrow locking T-plate 2.7/3 x 5 holes, L 47mm
629785	Narrow locking T-plate 2.7/3 x 10 holes, L 87mm
629787	Narrow locking T-plate 2.7/5 x 10 holes, L 87mm
629788	Narrow locking Y-plate 2.7/10 holes, L 92mm
629789	Narrow locking triangle plate 2.7/10 holes, L 92mm
629744	Broad locking plate 2.7/4 holes, L 39mm
629746	Broad locking plate 2.7/6 holes, L 56mm
629748	Broad locking plate 2.7/8 holes, L 73mm
629750	Broad locking plate 2.7/10 holes, L 90mm
629752	Broad locking plate 2.7/12 holes, L 108mm
629754	Broad locking plate 2.7/14 holes, L 125mm
629756S*	Broad locking plate 2.7 / 16 holes, L 142mm
629758S*	Broad locking plate 2.7 / 18 holes, L 159mm
629760S*	Broad locking plate 2.7 / 20 holes, L 176mm

Remark:

For sterile packaged implant please add 'S' to the ref.

*These items are available sterile packaged only.

System components – VariAx 2 Mini Fragment



Drawer 2 – T6 module

Ref #	Description
940365	Screw rack 2.0mm, T6
940376	Mini fragment, T6 drawer clip
940368	Instrument drawer 2.0
940370	Plate insert 2.0mm

T6 instruments

Ref #	Description
705132	Screwdriver blade, AO, T6, self retaining
705140	Joystick for T6 screw holes
705138	Drill guide, comp / polyaxial, 1.6mm, T6
705139	Drill guide, independent lag screw, 2.0mm, T6
705133	Drill bit, AO, Ø1.6mm x 96mm, scaled
705136	K-wire drill bit, Ø1.6mm x 200mm
705137	Overdrill, AO, Ø2.0mm x 122mm
706201	Tap, AO, 2.0mm
45-90200	Asnis micro elastosil handle, cannulated, AO coupling

System components – VariAx 2 Mini Fragment



2.0mm Locking screw T6

Ref #	Length mm	Ref #	Length mm
657606	6	657620	20
657607	7	657622	22
657608	8	657624	24
657609	9	657626	26
657610	10	657628	28
657611	11	657630	30
657612	12	657632	32
657613	13	657634	34
657614	14	657636	36
657615	15	657638	38
657616	16	657640	40
657618	18		



2.0mm Bone screw T6

Ref #	Length mm	Ref #	Length mm
657706	6	657718	18
657707	7	657720	20
657708	8	657722	22
657709	9	657724	24
657710	10	657726	26
657711	11	657728	28
657712	12	657730	30
657713	13	657732	32
657714	14	657734	34
657715	15	657736	36
657716	16	657738	38
		657740	40

Ref #	Description
619915	Washer T6

Remark:

For sterile packaged implant please add 'S' to the ref.

System components – VariAx 2 Mini Fragment



T6 2.0mm plates

Ref #	Description
629624	Narrow locking plate 2.0/4 holes, L 23mm
629626	Narrow locking plate 2.0/6 holes, L 34mm
629628	Narrow locking plate 2.0/8 holes, L 46mm
629630	Narrow locking plate 2.0/10 holes, L 57mm
629640	Narrow locking plate 2.0/20 holes, L 111mm
629770	Narrow locking T-plate 2.0/2 x 5 holes, L 34mm
629771	Narrow locking T-plate 2.0/2 x 10 holes, L 62mm
629772	Narrow locking T-plate 2.0/3 x 5 holes, L 34mm
629773	Narrow locking T-plate 2.0/3 x 10 holes, L 62mm
629775	Narrow locking T-plate 2.0/5 x 10 holes, L 62mm
629604	Profile plate 2.0/4 holes, L 22mm
629606	Profile plate 2.0/6 holes, L 33mm
629608	Profile plate 2.0/8 holes, L 44mm
629610	Profile plate 2.0/10 holes, L 54mm
629620	Profile plate 2.0/20 holes, L 108mm
629644	Broad locking plate 2.0/4 holes, L 28mm
629646	Broad locking plate 2.0/6 holes, L 41mm
629648	Broad locking plate 2.0/8 holes, L 54mm
629650	Broad locking plate 2.0/10 holes, L 67mm
629660	Broad locking plate 2.0/20 holes, L 131mm

Remark:

For sterile packaged implant please add 'S' to the ref.

System components – VariAx 2 Mini Fragment



Drawer 3 – reduction instrument and K-wires

Ref #	Description
940527	Instrument drawer; reduction instruments
940377	Mini fragment, reduction drawer clip
940528	Reduction instrument insert

Reduction instrument and K-wires

Ref #	Description
702951	Plate cutting plier
705294	Periosteal elevator, round edge 6mm
705295	Periosteal elevator, flat blade 13mm
700151	Hook
700153	Ballspike
700664	6mm Hohmann retractor
700667	15mm Hohmann retractor
705150	1.6mm K-wire with stop
390192	K-wire 2.0mm, x 150mm (pack of 10)
390164	K-wire 1.6 x 150mm (pack of 10)
390157	K-wire 1.25mm, x 150mm (pack of 10)
390142	K-wire 1.0mm, x 150mm (pack of 10)
64-20129	Forceps with grasping lips
45-80010	Plate bending plier
705151	Termite forceps
705297	Straight reduction clamp, broad
703822	Straight reduction clamp
702932	Repositioning forceps 1143mm (lobster claw)

Notes

Trauma & Extremities

This document is intended solely for the use of healthcare professionals. A surgeon must always rely on his or her own professional clinical judgment when deciding whether to use a particular product when treating a particular patient. Stryker does not dispense medical advice and recommends that surgeons be trained in the use of any particular product before using it in surgery.

The information presented is intended to demonstrate a Stryker product. A surgeon must always refer to the package insert, product label and/or instructions for use, including the instructions for Cleaning and Sterilization (if applicable), before using any Stryker product. Products may not be available in all markets because product availability is subject to the regulatory and/or medical practices in individual markets. Please contact your Stryker representative if you have questions about the availability of Stryker products in your area.

Stryker Corporation or its divisions or other corporate affiliated entities own, use or have applied for the following trademarks or service marks: Stryker, VariAx. All other trademarks are trademarks of their respective owners or holders.
www.stryker.com/patents

Content ID: VAX-SCS-17_Rev-2, 11-2020

Copyright © 2020 Stryker



Manufacturer:

Stryker GmbH
Bohnackerweg 1
2545 Selzach Switzerland

stryker.com