

Inventory Control Sheet

Stryker Hand Plating (VariAx 2 screws)

Hospital _____ Surgeon _____

Sales Rep _____ Covered by _____

P.O.# _____ Received by _____

Ship Via _____ Ship To _____ Replenish To _____

Inv. Source Hosp. Owned Hosp. Consigned Loaner Other _____





Surgery Date _____

Patient Information









Billing Type Bill Only Ship Only Ship & Bill Other _____

Plates



1.2mm XS Standard plates

	Description	Holes	Qty.
	57-05101 Straight	4	<input type="text"/>
	57-05116 Straight	16	<input type="text"/>
	57-05140 T, narrow	5	<input type="text"/>
	57-05142 T	8	<input type="text"/>
	57-05150 T, oblique, right	5	<input type="text"/>
	57-05151 T, oblique, left	5	<input type="text"/>
	57-05170 Y, narrow	5	<input type="text"/>
	57-05190 3-D	2x2	<input type="text"/>
	57-05191 3-D	3x2	<input type="text"/>
	57-05192 3-D	4x2	<input type="text"/>
	57-05195 3-D, replantation	4x2	<input type="text"/>
	57-05197 3-D	2x2+2	<input type="text"/>








1.7mm S Standard plates

	Description	Holes	Qty.
	57-05201 Straight	4	<input type="text"/>
	57-05221 Straight	4 w/bar	<input type="text"/>
	57-05216 Straight	16	<input type="text"/>
	57-05220 L, right	6	<input type="text"/>
	57-05221 L, left	6	<input type="text"/>
	57-05230 L, oblique, right	6	<input type="text"/>
	57-05231 L, oblique, left	6	<input type="text"/>
	57-05270 Y	7	<input type="text"/>
	57-05240 T, narrow	6	<input type="text"/>
	57-05260 T, regular	7	<input type="text"/>
	57-05210 T, wide	8	<input type="text"/>
	57-05262 T, regular	10	<input type="text"/>
	57-05250 T, oblique, right	6	<input type="text"/>
	57-05251 T, oblique, left	6	<input type="text"/>
	57-05279 Z	9	<input type="text"/>
	57-05290 3-D	2x2	<input type="text"/>
	57-05291 3-D	3x2	<input type="text"/>
	57-05292 3-D	4x2	<input type="text"/>
	57-05295 3-D, Replantation	4x2	<input type="text"/>
	57-05297 3-D	2x2+2	<input type="text"/>
	57-05280 Condylar, right	5	<input type="text"/>
	57-05281 Condylar, left	5	<input type="text"/>
	57-05282 Condylar, right	5 w/bar	<input type="text"/>
	57-05283 Condylar, right	5 w/bar	<input type="text"/>
	57-05285 Prong w/fixation hole	1	<input type="text"/>








1.7mm S Plus plates

	Description	Holes	Qty.
	57-08216 Straight	16	<input type="text"/>
	57-08212 L, right	13	<input type="text"/>
	57-08213 L, left	13	<input type="text"/>

1.7mm S Lockings plates

	Description	Holes	Qty.
	57-10304 Straight	4	<input type="text"/>
	57-10316 Straight	16	<input type="text"/>
	57-10320 L, right	6	<input type="text"/>
	57-10321 L, left	6	<input type="text"/>
	57-10340 T, narrow	6	<input type="text"/>
	57-10360 T, regular	7	<input type="text"/>
	57-10368 T, wide	8	<input type="text"/>
	57-10310 T, narrow	10	<input type="text"/>
	57-10379 Z, narrow	9	<input type="text"/>
	57-10390 3-D	2x2	<input type="text"/>
	57-10391 3-D	3x2	<input type="text"/>
	57-10392 3-D	4x2	<input type="text"/>
	57-10395 3-D, Replantation	4x2	<input type="text"/>
	57-10397 3-D	2x2+2	<input type="text"/>
	57-10380 Rotation	5	<input type="text"/>

2.3mm M Standard plates

	Description	Holes	Qty.
	57-10101 Straight	4	<input type="text"/>
	57-10102 Straight	4 w/bar	<input type="text"/>
	57-10116 Straight	16	<input type="text"/>
	57-10120 L, right	6	<input type="text"/>
	57-10121 L, left	6	<input type="text"/>
	57-10130 L, oblique, right	6	<input type="text"/>
	57-10131 L, oblique, left	6	<input type="text"/>
	57-10170 Y, narrow	7	<input type="text"/>
	57-10140 T, narrow	6	<input type="text"/>
	57-10150 T, oblique, narrow, right	6	<input type="text"/>
	57-10151 T, oblique, narrow, left	6	<input type="text"/>
	57-10160 T, regular	7	<input type="text"/>
	57-10161 T, wide	8	<input type="text"/>
	57-10179 Z	13	<input type="text"/>
	57-10180 Rotation	5	<input type="text"/>
	57-10185 Rotation, wide	5	<input type="text"/>
	57-10190 3-D	2x2	<input type="text"/>
	57-10191 3-D	3x2	<input type="text"/>
	57-10192 3-D	4x2	<input type="text"/>
	57-10193 3-D	6x2	<input type="text"/>
	57-10195 3-D, Replantation	4x2	<input type="text"/>
	57-10197 3-D	2x2+2	<input type="text"/>

Inventory Control Sheet Stryker Hand Plating (VariAx 2 screws)

Plates (continued)

2.3mm M Compression plates (gold)

	Description	Holes	Qty.
	57-10201 Straight	4	<input type="text"/>
	57-10202 Straight	4 w/bar	<input type="text"/>
	57-10204 Straight	5	<input type="text"/>
	57-10207 Straight	6	<input type="text"/>
	57-10208 Straight	8 w/bar	<input type="text"/>
	57-10220 L, right	6	<input type="text"/>
	57-10221 L, left	6	<input type="text"/>
	57-10230 L, oblique, right	6	<input type="text"/>
	57-10231 L, oblique, left	6	<input type="text"/>
	57-10240 T, narrow		<input type="text"/>
	57-10250 T, oblique, narrow, right	6	<input type="text"/>
	57-10251 T, oblique, narrow, left	6	<input type="text"/>
	57-10260 T, regular	7	<input type="text"/>
	57-10262 T, wide	10	<input type="text"/>
	57-10270 Y	7	<input type="text"/>
	57-10280 Condylar, right	5	<input type="text"/>
	57-10281 Condylar, left	5	<input type="text"/>
	57-10282 Condylar, right	6	<input type="text"/>
	57-10283 Condylar, left	6	<input type="text"/>
	57-10284 Condylar, right w/long pin	6	<input type="text"/>
	57-10285 Condylar, left w/long pin	6	<input type="text"/>
	57-10290 Scaphoid (single hook)	4	<input type="text"/>
	57-10291 Double hook, right	4	<input type="text"/>
	57-10292 Double hook, left	4	<input type="text"/>

2.3mm M Compression plates (mint green)

	Description	Holes	Qty.
	57-10402 Straight	4 w/bar	<input type="text"/>
	57-10407 Straight	6	<input type="text"/>
	57-10420 L, right	6	<input type="text"/>
	57-10421 L, left	6	<input type="text"/>
	57-10440 T, narrow	6	<input type="text"/>
	57-10460 T, regular	7	<input type="text"/>
	57-10470 Y, narrow	7	<input type="text"/>
	57-10482 Condylar, right	6	<input type="text"/>
	57-10483 Condylar, left	6	<input type="text"/>

2.3mm L Standard plates

	Description	Holes	Qty.
	57-13180 Rotation	5	<input type="text"/>
	57-13185 Rotation, wide	5	<input type="text"/>

Plates (continued)

2.3mm L Compression plates (gold)

	Description	Holes	Qty.
	57-13102 Straight	4 w/bar	<input type="text"/>
	57-13105 Straight	5 w/bar	<input type="text"/>
	57-13108 Straight	6 w/bar	<input type="text"/>
	57-13109 Straight	7 w/bar	<input type="text"/>
	57-13110 Straight	8 w/bar	<input type="text"/>
	57-13120 L, right	6	<input type="text"/>
	57-13121 L, left	6	<input type="text"/>
	57-13140 T, narrow	6	<input type="text"/>
	57-13142 T, narrow	10	<input type="text"/>
	57-13150 T, oblique, right	6	<input type="text"/>
	57-13151 T, oblique, left	6	<input type="text"/>

2.3mm L Compression plates (mint green)

	Description	Holes	Qty.
	57-13402 Straight	4 w/bar	<input type="text"/>
	57-13405 Straight	5 w/bar	<input type="text"/>
	57-13408 Straight	6 w/bar	<input type="text"/>
	57-13410 Straight	8 w/bar	<input type="text"/>
	57-13420 L, right	6	<input type="text"/>
	57-13421 L, left	6	<input type="text"/>
	57-13440 T, narrow	6	<input type="text"/>
	57-13442 T, narrow	10	<input type="text"/>
	57-13906 T, regular	6	<input type="text"/>
	57-13450 T, oblique, right	6	<input type="text"/>
	57-13451 T, oblique, left	6	<input type="text"/>

2.3mm M Locking plates

	Description	Holes	Qty.
	57-15301 Straight	4	<input type="text"/>
	57-15302 Straight	4 w/bar	<input type="text"/>
	57-15316 Straight	16	<input type="text"/>
	57-15320 L, right	6	<input type="text"/>
	57-15321 L, left	6	<input type="text"/>
	57-15340 T, narrow	6	<input type="text"/>
	57-15360 T, regular	7	<input type="text"/>
	57-15361 T, wide	8	<input type="text"/>
	57-15370 Y	7	<input type="text"/>
	57-15379 Z	13	<input type="text"/>
	57-15390 3-D	2x2	<input type="text"/>
	57-15391 3-D	3x2	<input type="text"/>
	57-15392 3-D	4x2	<input type="text"/>
	57-15395 3-D	4x2	<input type="text"/>
	57-15397 3-D	2x2+2	<input type="text"/>
	57-15385 Rotation	5	<input type="text"/>
	57-15325 MC5, right	5	<input type="text"/>
	57-15324 MC5, left	5	<input type="text"/>

Inventory Control Sheet Stryker Hand Plating (VariAx 2 screws)

VariAx non-locking screws

1.2mm Non-locking screws 

	Screw length (mm)	Qty.		Screw length (mm)	Qty.
58-12004E	4	<input type="text"/>	58-12010E	10	<input type="text"/>
58-12005E	5	<input type="text"/>	58-12012E	12	<input type="text"/>
58-12006E	6	<input type="text"/>	58-12014E	14	<input type="text"/>
58-12007E	7	<input type="text"/>	58-12016E	16	<input type="text"/>
58-12008E	8	<input type="text"/>	58-12018E	18	<input type="text"/>
58-12009E	9	<input type="text"/>	58-12020E	20	<input type="text"/>

1.4mm Emergency screws 

	Screw length (mm)	Qty.		Screw length (mm)	Qty.
58-14003E	3	<input type="text"/>	58-14007E	7	<input type="text"/>
58-14005E	5	<input type="text"/>	58-14009E	9	<input type="text"/>

VariAx 2 non-locking screws

1.7mm Non-locking screws 

	Screw length (mm)	Qty.		Screw length (mm)	Qty.
662605	5	<input type="text"/>	662613	13	<input type="text"/>
662606	6	<input type="text"/>	662614	14	<input type="text"/>
662607	7	<input type="text"/>	662615	15	<input type="text"/>
662608	8	<input type="text"/>	662616	16	<input type="text"/>
662609	9	<input type="text"/>	662618	18	<input type="text"/>
662610	10	<input type="text"/>	662620	20	<input type="text"/>
662611	11	<input type="text"/>	662622	22	<input type="text"/>
662612	12	<input type="text"/>	662624	24	<input type="text"/>

1.9mm Emergency screws 

	Screw length (mm)	Qty.		Screw length (mm)	Qty.
662705	5	<input type="text"/>	662710	10	<input type="text"/>
662708	8	<input type="text"/>	662712	12	<input type="text"/>

2.3mm Non-locking screws 

	Screw length (mm)	Qty.		Screw length (mm)	Qty.
663806	6	<input type="text"/>	663820	20	<input type="text"/>
663807	7	<input type="text"/>	663822	22	<input type="text"/>
663808	8	<input type="text"/>	663824	24	<input type="text"/>
663809	9	<input type="text"/>	663826	26	<input type="text"/>
663810	10	<input type="text"/>	663828	28	<input type="text"/>
663811	11	<input type="text"/>	663830	30	<input type="text"/>
663812	12	<input type="text"/>	663832	32	<input type="text"/>
663813	13	<input type="text"/>	663834	34	<input type="text"/>
663814	14	<input type="text"/>	663836	36	<input type="text"/>
663815	15	<input type="text"/>	663838	38	<input type="text"/>
663816	16	<input type="text"/>	663840S	40	<input type="text"/>
663818	18	<input type="text"/>			

For sterile 7mm, and 26-38mm screws, add "S" to the end of the part number

2.5mm Emergency screws 

	Screw length (mm)	Qty.		Screw length (mm)	Qty.
663906	6	<input type="text"/>	663910	10	<input type="text"/>
663908	8	<input type="text"/>	663912	12	<input type="text"/>

VariAx 2 locking screws

1.7mm Locking screws 

	Length (mm)	Qty.		Length (mm)	Qty.
662505	5	<input type="text"/>	662513	13	<input type="text"/>
662506	6	<input type="text"/>	662514	14	<input type="text"/>
662507	7	<input type="text"/>	662515	15	<input type="text"/>
662508	8	<input type="text"/>	662516	16	<input type="text"/>
662509	9	<input type="text"/>	662518	18	<input type="text"/>
662510	10	<input type="text"/>	662520	20	<input type="text"/>
662511	11	<input type="text"/>	662522	22	<input type="text"/>
662512	12	<input type="text"/>	662524	24	<input type="text"/>

2.3mm Locking screws 

	Length (mm)	Qty.		Length (mm)	Qty.
663706	6	<input type="text"/>	663720	20	<input type="text"/>
663707	7	<input type="text"/>	663722	22	<input type="text"/>
663708	8	<input type="text"/>	663724	24	<input type="text"/>
663709	9	<input type="text"/>	663726	26	<input type="text"/>
663710	10	<input type="text"/>	663728S	28	<input type="text"/>
663711	11	<input type="text"/>	663730S	30	<input type="text"/>
663712	12	<input type="text"/>	663732S	32	<input type="text"/>
663713	13	<input type="text"/>	663734S	34	<input type="text"/>
663714	14	<input type="text"/>	663736S	36	<input type="text"/>
663715	15	<input type="text"/>	663738S	38	<input type="text"/>
663716	16	<input type="text"/>	663740S	40	<input type="text"/>
663718	18	<input type="text"/>			

For sterile 7mm and 26mm screws, add "S" to the end of the part number.

Washers

	Description	Qty.
59-12049E	Washer for screws, 1.2mm	<input type="text"/>
59-17049E	Washer for screws, 1.7mm	<input type="text"/>
59-23049E	Washer for screws, 2.3mm	<input type="text"/>

Inventory Control Sheet Stryker Hand Plating (VariAx 2 screws)

Disposables

Twist drills

	Description	Qty.
60-10115	1.0×15mm, Stryker	<input type="text"/>
60-10315	1.0×15mm, AO	<input type="text"/>
60-10415	1.0×15mm, Dental	<input type="text"/>
60-10122	1.0×22mm, Stryker	<input type="text"/>
60-10322	1.0×22mm, AO	<input type="text"/>
60-10422	1.0×22mm, Dental	<input type="text"/>
60-14126	1.4×27mm, Stryker	<input type="text"/>
60-14326	1.4×27mm, AO	<input type="text"/>
60-14426	1.4×27mm, Dental	<input type="text"/>
60-19126	1.9×27mm, Stryker	<input type="text"/>
60-19326	1.9×27mm, AO	<input type="text"/>
60-19426	1.9×27mm, Dental	<input type="text"/>
60-19140	1.9×41mm, Stryker	<input type="text"/>
60-19340	1.9×41mm, AO	<input type="text"/>
60-19440	1.9×41mm, Dental	<input type="text"/>
60-25126	2.5×26mm, Stryker	<input type="text"/>
60-25326	2.5×26mm, AO	<input type="text"/>
60-25426	2.5×26mm, Dental	<input type="text"/>

Hand taps

	Description	Qty.
62-12503	For 1.2mm screws	<input type="text"/>
62-17503	For 1.7mm screws	<input type="text"/>
62-23503	For 2.3mm screws	<input type="text"/>

Disposables (continued)

Countersinks

	Description	Qty.
60-80112	For 1.2mm screws, 53mm, Stryker	<input type="text"/>
60-80312	For 1.2mm screws, 46mm, AO	<input type="text"/>
60-80412	For 1.2mm screws, 36mm, Dental	<input type="text"/>
60-80117	For 1.7mm screws, 54mm, Stryker	<input type="text"/>
60-80317	For 1.7mm screws, 47mm, AO	<input type="text"/>
60-80417	For 1.7mm screws, 37mm, Dental	<input type="text"/>
60-80123	For 2.3mm screws, 55mm, Stryker	<input type="text"/>
60-80323	For 2.3mm screws, 48mm, AO	<input type="text"/>
60-80423	For 2.3mm screws, 38mm, Dental	<input type="text"/>

A surgeon must always rely on his or her own professional clinical judgment when deciding whether to use a particular product when treating a particular patient. Stryker does not dispense medical advice and recommends that surgeons be trained in the use of any particular product before using it in surgery. The information presented is intended to demonstrate the breadth of Stryker product offerings. A surgeon must always refer to the package insert, product label and/or instructions for use before using any Stryker product. Products may not be available in all markets because product availability is subject to the regulatory and/or medical practices in individual markets. Please contact your Stryker representative if you have questions about the availability of Stryker products in your area.

Stryker Corporation or its divisions or other corporate affiliated entities own, use or have applied for the following trademarks or service marks: AxSOS, Stryker. All other trademarks are trademarks of their respective owners or holders.

Copyright © 2018 Stryker
Printed in USA

325 Corporate Drive
Mahwah, NJ 07430
t: 201 831 5000

stryker.com

Hospital Signature